

LIST OF PUBLICATIONS

Mart Saarma

Professor, Research Director

Tel. +358-50 5002726

E-mail: mart.saarma@helsinki.fi

1974

1. Lind, A., Villems, R. & Saarma, M. (1974) Pyrimidine-rich surface in ribosomes. *Acta Biologica et Medica Germanica*, 33, 715-724.
2. Sööt, M., Saarma, M. & Villems, R. (1974) Binding of tetranucleotides with rat liver 5S RNA. *Molecular Biology*, 3, 723-728.
3. Vasilenko, S.K., Greneva, N.I., Karpova, G.G., Kozorovitsky, A.N., Lomakina, G.S., Saarma, M.J., & Tiunov, I.P. (1973) Complex formation of mixed oligonucleotides and their 5'-derivatives with rRNA and alkylation of these complexes. *Proc. Acad. Sci. SSSR*, 212, 1227-1230.

1975

4. Lind, A., Villems, R. & Saarma, M. (1975) Pyrimidine-rich oligonucleotides from rat liver ribosome surface. *Eur. J. Biochem.* 51, 529 - 536.
5. Saarma, M. Structure and function of the surface of 80S ribosomes. Academic dissertation; 1975, Tartu State University, 110 pages.

1977

6. Lind, A., Metspalu, A., Saarma, M., Toots, I., Ustav, M. & Villems, R. (1977) Universality of the ribosomal peptidyltransferase center and 5.8S rRNA function. *Bioorganic Chemistry*, 3, 1138-1140.
7. Ustav, M., Lind, A., Saarma, M. & Villems, R. (1977) Interaction of 5S RNA with *Escherichia coli* ribosomal small subunit proteins. *Bioorganic Chemistry*, 3, 1699-1701.
8. Ustav, M., Villems, R., Saarma, M. & Lind, A. (1977) The interaction of tRNA with 50S subunit proteins. *FEBS Lett.*, 83, 353-356.

1978

9. Kelve, M., Metspalu, A., Villems, R., Toots, I., Saarma, M. & Lind, A. (1978) Conformational isomers of rat liver 5S RNA. *Molecular Biology*, 12, 695-699.
10. Metspalu, A., Villems, R., Saarma, M., Ustav, M. & Lind, A. (1978) Interaction of 5S RNA, 5.8S RNA and tRNA with rat liver ribosomal proteins. *Eur. J. Biochem.* 91, 73-81.
11. Ustav, M., Lind, A., Saarma, M. & Villems, R. (1978) The domain for transfer ribonucleic acid binding to the *Escherichia coli* ribosome. *FEBS Lett.*, 87, 315-317.
12. Ustav, M., Metspalu, A., Villems, R., Toots, I., Saarma, M. & Lind, A. (1978) GTPase and ATPase activities of ribosomes. In: "Regulation of enzyme systems: adenosine triphosphate systems." Tartu, pp. 40-49.

13. Uusküla, L., Pärnik, U., Laving, A., Villems, R. & Saarma, M. (1978) Localization of 5S, 5.8S, 18S and 28S rRNA genes in Bam HI and Sall restriction fragments of rat DNA. In: "Plasmid", Puschino, pp. 50-51.

1979

14. Arsenyan, S., Avdonina, T., Kiselev, L., Laving, A. & Saarma, M. (1979) Isolation and cloning of 5S DNA from rat liver. In: "Plasmid", Puschino, pp. 16-19.

15. Saarma M., Reeman K., Talsepp, T. & Toots, I. (1979) Cloning of the DNA fragments with heterologous sticky ends. In: "Plasmid", Puschino, pp. 129-130.

16. Saarma, M. (1979) Scissors that cut genes. *Horisont*, 11, 10-12.

17. Saarma, M., Villems, R., Laving, A., Toots, I., Ustav, M. & Lind, A. (1979) On the origin of eukaryotic 5.8S RNA. *Hoppe-Seyler's Z. Physiol. Chem.*, 360, 1040-1041.

18. Toots, I., Metspalu, A., Lind, A., Saarma, M. & Villems, R. (1979) Immobilized eukaryotic 5.8S RNA binds E.coli and rat liver ribosomal proteins. *FEBS Lett.*, 104, 193-196.

19. Villems, R., Saarma, M., Metspalu, A. & Toots, I. (1979) New aspects of the eukaryotic ribosomal subunit interaction. *FEBS Lett.*, 107, 66-68.

1980

20. Arsenyan, S., Avdonina, T., Laving, A., Saarma, M. & Kiselev, L. (1980) Isolation of rat liver 5S RNA genes. *Gene*, 11, 97-108.

21. Metspalu, A., Toots, I., Saarma, M. & Villems, R. (1980) The ternary complex consisting of rat liver ribosomal 5S RNA, 5.8S RNA and protein L5. *FEBS Lett.* 119, 81-84.

22. Saarma, M., Metspalu, A., Toots, I., Örd, T. & Villems, R. (1980) Involvement of 5.8S RNA in eukaryotic ribosome interactions. In: "Mechanisms of protein-nucleic acid interactions", Academic Press, Poznan, pp. 58-69.

23. Speek, M., Ustav, M., Lind, A. & Saarma, M. (1980) Use of S1 nuclease and cobra endonuclease for the mapping of E.coli 5S RNA secondary structure. *Bioorganic Chemistry*, 6, 1877-1880.

24. Villems, R., Koger, A., Maimets, T., Metspalu, E., Saarma, M., Sarapuu, T. & Ustav, M. (1980) Affinity chromatography of Escherichia coli ribosomal proteins on the immobilized ribonucleic acids: properties of the complexes. In: "Mechanisms of protein-nucleic acid interactions", Academic Press, Poznan, pp. 70-79.

1981

25. Maimets, T.O., Ustav, M.B., Villems, R.L.-E., Saarma, M.J. & Lind, A.J. (1981) Binding of Escherichia coli 50S ribosomal subunit proteins with two large fragments of 5S RNA. *Molecular Biology*, 15, 569-574 .

26. Metspalu, A.H., Saarma, M.J. & Villems, R. L.-E. (1981) Structure and some functional aspects of the eukaryotic ribosome. *VINITI "Bioorganic Chemistry"*, 15, 175-223.

27. Saarma, M. & Aaviksaar, A. (1981) *Molecular Biology*, In: "Estonian SSR Academy of Sciences in 1973-1979", Tallinn, pp. 93-101.

28. Saarma, M. & Remme, J. (1981) Genetic engineering in the center of attention. *Horisont*, 10, 16-17.

29. Saarma, M., Metspalu, A., VILLEMS, R., Örd, T. & Toots, I. (1981) 5S RNA and 5.8S RNA build up eukaryotic subribosomal domains, active in tRNA binding. FEBS Lett., 136, 255-258.

30. Toots, I., Metspalu, A., VILLEMS, R. & Saarma, M. (1981) Location of single-stranded and double-stranded regions in eukaryotic ribosomal 5S RNA and 5.8S RNA. Nucl. Acids Res., 20, 5331-5343.

1982

31. Metspalu, A., Speek, M., Toots, I., VILLEMS, R. & Saarma, M. (1982) Interaction of 5S RNA, 5.8S RNA, tRNA and ribosomal proteins in structure and function of eukaryotic ribosome.

"Macromolecules in functioning cell", Nauka, Moscow, 1, 228-238.

32. Toots, I., Misselwitz, Böhm, S., Welfle, H., VILLEMS, R. & Saarma, M. (1982) Two distinct conformations of rat liver ribosomal 5S RNA. Nucl. Acids Res., 10, 3381-3389.

33. Öun, V.A., Ilves, H.N., Talpsepp, T.E., Örd, T.A., Habicht, J.K., Toots, I.E. & Saarma, M.J. (1982) Cloning and analysis of the highly repeating DNA sequences in rat. Proc. Acad. Sci. SSSR, 266, 745-747.

1983

34. Saarma, M. (1983) Mode of action of interferons. In: "Cell theory", Ed. T.Tiivel, Tartu, pp. 78-84.

35. Saarma, M., Örd, T., Talpsepp, T. & Toots, I. (1983) Isolation of 5S RNA-protein complexes from rat liver ribosomes. Molecular Biology, 17, 112-117.

1984

36. Saarma, M. (1984) Cancer begins from genes. Horisont, 7, 14-16.

37. Saarma, M. (1984) Once again about the "superdrug" interferon. Horisont, 1, 12-13.

38. Saarma, M.J., Neuman, T.E., Talpsepp, T.E., Toots, I.E., Siigur, E.P. & Siigur, J.H. (1984) Monoclonal antibodies to snake Vipera lebetina venom nerve growth factor. Proc. Acad. Sci. SSSR, 277, 1267-269.

39. Öun, V., Ilves, H., Toots, I., Habicht, J., Örd, T., VILLEMS, R. & Saarma, M. (1984) Cloning and organization of the long highly repeating sequences in rat liver DNA. In: "Macromolecules in the functioning cell." Eds. A. Ruffo, C. Ricci & P. Volpe, Roma 113, 51-58. Publ.: Consiglio Nazionale Ricerca Scientifica.

1985

40. Katkov, V.S., Kaplan, I.V., Talyansky, M.E., Kargamanov, V.N., Reeman, K.J. & Saarma, M.J. (1985) Use of monoclonal antibodies for the differential ELISA detection of champignon viruses. Proc. Acad. Sci. Agr. SSSR, 8, 29-31.

41. Saarma, M.J., Minks, M.A. & Gordon, J. (1985) Affinity labelling of 2'-5' oligoadenylate activated endoribonuclease with 32P-2'-5'A and its analogues. Proc. Acad. Sci. SSSR, 281, 1255-1258.

42. Saarma, M., Neuman, T., Arumäe, U., Siigur, E. & Siigur, J. (1985) Studies on the functional properties of snake venom nerve growth factors with monoclonal antibodies. Biotechnology, 2, 97-102.

43. Saarma, M., Neuman, T., Arumäe, U., Puurand, Ü., Siigur, E. & Siigur, J. (1985) Functional properties of the Vipera lebetina nerve growth factor. In: "Current Problems of Biochemistry and Biotechnology", Riga, pp. 18-19.

44. Saarma, M.J. & Neuman, T.E. (1985) NGF-induced expression of neuron-specific genes. *Molecular Biology*, 19, 1689-1690.

45. Saarma, M.J. & Toots, U.E. (1985) Regulatory role of 2'-5'-oligo(A) and interferon. In: "Cyclic nucleotides and regulation of enzymatic processes"; Rjazan, pp. 12-14.

1986

46. Ilves, H., Paalme, V., Speek, M. & Saarma, M. (1986) Nucleotide sequence and transcription of the highly repeating EcoR1 sequences of rat DNA. *Proc. Acad. Sci. SSSR*, 287, 448-451.

47. Saarma, M. & Aaviksaar, A. (1986) *Molecular Biology*; In "Estonian Academy of Sciences in 1980-1985", Tallinn, pp. 106-115.

48. Saarma, M., Toots, U., Raukas, E., Zhelkovsky, A., Pivazjan, A. & Neuman, T. (1986) Nerve growth factor induces changes in (2'-5')oligo(A) synthetase and 2'-phosphodiesterase activities during differentiation of PC12 pheochromocytoma cells. *Exp. Cell Res.*, 166, 229-236.

49. Siigur, J., Arumäe, U., Neuman, T., Samel, M., Siigur, E. & Saarma, M. (1986) Isolation and characterization of nerve growth factor from *Vipera berus berus* (common viper) venom. *Comp. Biochem. Physiol.*, 83B, 621-625.

50. Toots, U., Neuman, T., Pivazjan, A., Raukas, E., Zhelkovsky, A. & Saarma, M. (1986) Involvement of the 2-5A enzyme system in NGF induced neuronal differentiation. In: "Macromolecules in the functioning cell"; Pustsino, pp. 232-238.

1987

51. Arumäe, U., Siigur, J., Metsis, M., Saarma, M. & Neuman, T. (1987) Comparison of the antigenic structure of nerve growth factors with monoclonal antibodies. In: "Genetic studies in Estonian SSR", Tallinn, pp. 46-105.

52. Arumäe, U., Siigur, J., Neuman, T. & Saarma, M. (1987) Monoclonal antibodies against *Vipera lebetina* venom nerve growth factor cross-react with other snake venom nerve growth factors. *Molecular Immunology*, 24, 1295-1302.

53. Järvekülg, L., Söber, J., Sinijärv, R. & Saarma, M. (1987) Use of time-resolved fluoroimmunoassay for the detection of plant viruses. *Proc. Acad. Sci. Agr. SSSR.*, 12, 13-18.

54. Kärge, H.-J., Stahl, J., Gross, B., Knespel, S., Bielka, H. & Saarma, M. (1987) Studies on the interaction of 5S RNA with ribosomal proteins. *FEBS Lett.*, 220, 126-128.

55. Neilinn, M., Nigul, A., Toots, I. & Saarma, M. (1987) Secondary structure of the 5'-end 5.3S fragment of ribosomal 18S RNA from rat liver. *Bioorganic Chemistry*, 13, 128-130.

56. Saarma, M. (1987) In medicine R. Levi-Montalcini & S. Cohen. *Priroda* 1, 108-109.

57. Siigur, J., Arumäe, U., Neuman, T., Siigur, E. & Saarma, M. (1987) Monoclonal antibody immunoaffinity chromatography of the nerve growth factor from snake venoms. *Comp. Biochem. Physiol.*, 84, 1-6.

58. Toots, U., Kelve, M. & Saarma, M. (1987) Affinity labelling and affinity chromatography of 2-5 oligo(A) binding proteins. In: "Genetic studies in Estonian SSR", Tallinn, pp. 129-136.

1988

59. Laasberg, T., Pihlak, A., Neuman, T., Paves, H. & Saarma, M. (1988) Nerve growth factor increases the cyclic GMP level and activates the cyclic GMP phosphodiesterase in PC12 cells. *FEBS Lett.*, 236, 277-280.
60. Paalme, V., Arumäe, U., Siigur, J., Neuman, T., Sepelev, S. & Saarma, M. (1988) Salivary glands of poisonous and nonpoisonous snakes synthesize and secrete nerve growth factor. *Proc. Acad. Sci. SSSR.*, 301, 754-756.
61. Paves, H., Neuman, T., Metsis, M. & Saarma, M. (1988) Nerve growth factor induces rapid redistribution of F-actin in PC12 cells. *FEBS Lett.*, 235, 141-143.
62. Paves, H., Neuman, T., Metsis, M. & Saarma, M. (1988) Nerve growth factor induces rapid reorganization of F-actin in pheochromocytoma PC12 cells. *Proc. Acad. Sci. SSSR*, 303, 1265-1267.
63. Radavsky, J., Zaikin, A.A., Viter, S.S., Turova, I.P., Grama, D.P., Bobkova, A.F., Golstein, M.I., Järvekülg, L., Söber, J. & Saarma, M. (1988) Antigenic structure of potato virus X coat protein. I. Immunological analysis of cyanogene bromide fragments. *Bioorganic Chemistry*, 14, 20-26.
64. Saarma, M. (1988) Nobel prize in physiology and medicine in 1987 for the discovery of immunoglobulin gene structure. *Estonian Health Care*, 3, 221-224.
65. Saarma, M., Timmusk, T., Paves, H., Metsis, M., Arumäe, U., Kelve, M. & Neuman, T. (1988) Induction of neuron-specific genes and proteins in PC12 cells during neuronal differentiation. In: "Macromolecules in the functioning cell" (Ruffo, A. et al., eds.) *Consiglio Nazionale delle Ricerche Quadermi de La Ricerca Scientifica*, 117, 67-76,.
66. Sinijärv, R., Järvekülg, L. & Saarma, M. (1988) Simultaneous quantitative detection of two plant viruses. *Proc. Acad. Agr. Sci. SSSR.* 8, 16-18.
67. Sinijärv, R., Järvekülg, L., Andreeva, E. & Saarma, M. (1988) Detection of potato virus X by one incubation europium time-resolved fluoroimmunoassay and ELISA. *J. Gen. Virol.*, 69, 991-998.
68. Söber, J., Järvekülg, L., Toots, I., Radavsky, J., Villems, R. & Saarma, M. (1988) Antigenic characterization of potato virus X with monoclonal antibodies. *J. Gen. Virol.*, 69, 1799-1807.
69. Toots, V., Kelve, M. & Saarma, M. (1988) Degradation of mRNA, ribosomal RNA and 2-5A-dependent inhibition of protein synthesis. *Molecular Biology*, 6, 1473-1481.

1989

70. Arumäe, U., Neuman, T., Sinijärv, R. & Saarma, M. (1989) Sensitive time-resolved fluoroimmunoassay of nerve growth factor and the disappearance of nerve growth factor from rat pheochromocytoma PC12 cells culture medium. *J. Immunol. Meth.* 122, 59-65.
71. Järvekülg, L., Söber, J., Sinijärv, R., Toots, I. & Saarma, M. (1989) Time-resolved fluoroimmunoassay of potato virus M with monoclonal antibodies. *Ann. Appl. Biol.*, 114, 279-291.
72. Radavsky, J.L., Viter, S.S., Turova, I.I., Zaitsev, L.S., Järvekülg, L.V., Saarma, M.J., Grebenchchikov, N.I. & Baratova, L.A. (1989) Antigenic structure of potato virus X coat protein. II. Localization of antigenic determinant(s) at the protein N-terminus. *Bioorganic Chemistry*, 15, 615-619.
73. Saarma, M.J. & Järvekülg, L.V., (1989) Current perspectives in the plant virus immuno-diagnostics. *Journal of the All Union D. K. Mendelejev Chemical Society.* 234, 119-126.
74. Saarma, M., Järvekülg, L. & Andreeva, E. (1989) Time-resolved fluoroimmunoassay of plant viruses with monoclonal antibodies. *Metrology, standardization and control*, 5, 390-399.

75. Saarma, M., Järvekülg, L., Andreeva, L. & Sinijärv, R. (1989) Time-resolved fluoroimmunoassay of plant viruses with monoclonal antibodies. *Biotechnology*, 5, 390-399.

76. Saarma, M.J., Järvekülg, L.V., Andreeva, E.G., Ojamaa, M.M. & Sinijärv, R.K. (1989) Use of time-resolved fluoroimmunoassay for the simultaneous detection of viruses. In: "Genetic and cellular engineering and fundamental problems of biotechnology", Tartu-Kääriku, pp. 148-156.

77. Saarma, M., Järvekülg, L., Hemmilä, I., Siitari, H. & Sinijärv, R. (1989) Simultaneous quantification of two plant viruses by double-label time-resolved immunofluorimetric assay. *J. Virol. Meth.*, 23, 47-54.

78. Saarma, M., Metsis, M., Kelve, M., Paves, H., Palgi, J., Reeben, M., Timmusk, T., Arumäe, U., Laasberg, T. & Neuman, T. (1989) Functional properties of the nerve growth factor. In: "Highlights of Modern Biochemistry", IUB Congress, Prague, pp. 1083-1091.

1990

79. Kalinichenko, E.N., Podkopaeva, T.L., Kelve, M., Saarma, M. & Mikhailopulo, I.A. (1990) 3'-fluoro-3'-deoxy analogs of 2-5'-monophosphate: binding to 2-5A-dependent endoribonuclease and susceptibility to (2'-5') phosphodiesterase degradation. *Biochem. Biophys. Res. Commun.*, 167, 20-26.

80. Neuman, T., Reeben, M., Palgi, J., Palm, K., Paalme, V. & Saarma, M. (1990) Regulation of rat neurofilament light gene by NGF in PC12 cells. In: "Regulation of Gene Expression in the Nervous System", pp. 77-91, Wiley-Liss, Inc.

81. Örd, T., Kolmer, M., VILLEMS, R. & Saarma, M. (1990) Structure of the human genomic region homologous to the bovine prochymosin-encoding gene, *Gene*, 91, 241-246.

82. Paves, H., Neuman, T., Metsis, M. & Saarma, M. (1990) Nerve growth factor - induced rapid reorganization of microfilaments in PC12 cells: possible roles of different second messenger systems. *Exp. Cell Res.*, 186, 218-226.

83. Puurand, Ü., & Saarma, M. (1990) Cloning and sequencing of the 3'-terminal region of potato virus YN (Russian isolate) RNA genome. *Nucl. Acids Res.*, 18, 6694.

84. Saarma, M., Paves, H., Metsis, M., Pihlak, A., Neuman, T. & Laasberg, T. (1990) Rapid morphological and biochemical changes triggered by nerve growth factor in the rat pheochromocytoma PC12 cells. In: "Regulation of Gene Expression in the Nervous System", pp. 61-75, Wiley-Liss, Inc.

1991

85. Joachimiak, A., Giel, M.F., Otwinowski, Z., Arumäe, U., Siigur, J., Saarma, M., Sigler, P.B. & Barciszewski, J. (1991) Crystallization and preliminary X-ray analysis of nerve growth factor from *Vipera lebetina*. *Journal of Crystal Growth*, 110, 214-219.

86. Kolmer, M., Örd, T., Alhonen, L., Hyttinen, J.-M., Saarma, M., VILLEMS, R. & Jänne, J. (1991) Assignment of human prochymosin pseudogene to chromosome 1. *Genomics*, 10, 496-498.

87. Sariola, H., Saarma, M., Sainio, K., Arumäe, U., Palgi, J., Vaahtokari, A., Thesleff, I. & Karavanov, A. (1991) Dependence of kidney morphogenesis on the expression of nerve growth factor receptor. *Science*, 254, 571-573.

88. Örd, T., Kolmer, M., Jänne, J., VILLEMS, R. & Saarma, M. (1991) Structure and chromosomal location of the human prochymosin pseudogene. In: "Advances in Experimental Medicine and

Biology. Structure and Function of the Aspartic Proteinases: Genetics, Structure and Mechanisms ." (Ben M. Dunn, Ed.) Plenum Press, New York, 306, 121-127.

1992

89. Baratova, L.A., Grebenshchikov, N.I., Dobrov, E.N., Gedrovich, A.V., Kashirin, I.A., Shishkov, A.V., Efimov, A.V., Järvekülg, L., Radavsky, J.L. & Saarma, M. (1992) The organization of potato virus X coat proteins in virus particles studied by tritium planography and model building. *Virology*, 188, 175-180.
90. Baratova, L.A., Grebenshchikov, N.I., Shishkov, A.V., Kashirin, I.A., Radavsky, J.L., Järvekülg, L. & Saarma, M. (1992) The topography of the surface of potato virus X: tritium planography and immunological analysis. *J. Gen. Virol.*, 73, 229-239.
91. Kelve, M., Truve, E., Priimägi, A., Järvekülg, L. & Saarma, M. (1992) Studies on virus resistance in plants. In: UNESCO Technical Report No. 6, UNESCO Regional Office for Science and Technology for Europe. Venice, 273-285.
92. Metsis, M., Timmusk, T., Allikmets, R., Saarma, M. & Persson, H. (1992) Regulatory elements and transcriptional regulation by testosterone and retinoic acid of the rat nerve growth factor receptor promoter. *Gene*, 121, 247-254.
93. Palm, K., Arumäe, U., Palgi, J. & Saarma, M. (1992) Neurotrophins and their receptors in development. In: *Folia Baeriana. VI Baer and Modern Biology*. Estonian Acad. of Science, Univ. of Tartu., pp. 34-38.
94. Pirvola, U., Palgi, J., Ylikoski, J., Lehtonen, E. Arumäe, U. & Saarma, M. (1992) Brain-derived neurotrophic factor and neurotrophin3 in the peripheral target fields of developing inner ear ganglia. *Proc. Natl. Acad. Sci., USA*, 89, 9915-9919.
95. Puurand, Ü., Mäkinen, K., Baumann, M. & Saarma, M. (1992) Nucleotide sequence of the 3'-terminal region of potato virus A RNA. *Virus Res.*, 23, 99-105.
96. Sepp, T., Järvekülg, L. & Saarma, M. (1992) Investigations of Virus-Protozoa Relationships of the Free-living Ciliate *Tetrahymena pyriformis* and Adenovirus Type 3. *Eur. J. Protistol.*, 28, 170-174.
97. Siigur, J., Arumäe, U., Siigur, E., Paalme, V., Neuman, T. & Saarma, M. (1992) Nerve growth factor from snake venoms. Comparative aspects. In: "Recent advances in toxicology research", Vol.1, 154-181.

1993

98. Arumäe, U., Pirvola, U., Palgi, J., Kiema, T.-R., Palm, K., Moshnyakov, M., Ylikoski, J. & Saarma, M. (1993) Neurotrophins and their receptors in rat peripheral trigeminal system during maxillary nerve growth. *J. Cell. Biol.*, 122, 1053-1065.
99. Kervinen, J., Sarkkinen, P., Kalkkinen, N., Mikola, L. & Saarma, M. (1993) Hydrolytic specificity of the barley grain aspartic proteinase. *Phytochemistry*, 32, 4, 799-803.
100. Reeben, M., Halmenkytö, M., Alhonen, L., Sinevirta, R., Saarma, M. & Jänne, J. (1993) Tissue-specific expression of rat light neurofilament promoter-driven reporter gene expression in transgenic mice. *Biochem. Biophys. Res. Commun.*, 292, 465-470.
101. Saarma, M. Pirvola, U., Palgi, J., Moshnyakov, M., Arumäe, U. & Ylikoski, J. (1993) Expression of neurotrophic factors and their receptors in developing rat inner ear. *Clin. Chem. Enzym. Comms.*, 5, 303-308.

102. Timmusk, T., Palm, K., Metsis, M., Reintamm, T., Paalme, V., Saarma, M. & Persson, H. (1993) Multiple promoters direct tissue specific expression of rat BDNF gene. *Neuron*, 10, 475-489.

103. Truve, E., Aaspõllu, A., Honkanen, J., Puska, R., Mehto, M., Hassi, A., Teeri, T. H., Kelve, M., Seppänen, P. & Saarma, M. (1993) Transgenic potato plants expressing mammalian 2'-5' oligoadenylate synthetase are protected from potato virus X infection under field conditions. *Nature Biotechnology*, 11, 1048-1052.

104. Ylikoski, J., Pirvola, U., Moshnyakov, M., Palgi, J., Arumäe, U. & Saarma, M. (1993) Expression patterns of neurotrophin and their receptor mRNAs in the rat inner ear. *Hearing Res.*, 65, 69-78.

1994

105. Andreeva, L., Järvekülg, L., Rabenstein, F., Torrace, L., Harrison, B.D., & Saarma, M. (1994) Antigenic analysis of potato virus A particles and coat protein. *Annals of Applied Biology*, 125, 337-348.

106. Pirvola, U., Arumäe, U., Moshnyakov, M., Palgi, J., Saarma, M. & Ylikoski, J. (1994) Coordinated expression and function of neurotrophins and their receptors in the rat inner ear during target innervation. *Hearing Res.*, 75, 131-144.

107. Puurand, Ü., Mäkinen, K., Paulin, L. & Saarma, M. (1994) The nucleotide sequence of potato virus A genomic RNA and its sequence similarities with other potyviruses. *J. Gen. Virol.*, 75, 457-461.

108. Sainio, K., Saarma, M., Nonclercq, D., Paulin, L., & Sariola, H. (1994) Antisense inhibition of low-affinity nerve growth factor receptor in kidney cultures; Power and pitfalls. *Cell. Mol. Neurobiol.*, 14, 437-457.

109. Sainio, K., Saarma, M., Palgi, J., Saxén, L. & Sariola, H. (1994) Neuronal characteristics in embryonic renal stroma. *Int. J. Dev. Biol.*, 38, 77-84.

110. Truve, E., Kelve, M., Aaspõllu, A., Kuusksalu, A., Seppänen, P. & Saarma, M. (1994) Principles and background for the construction of transgenic plants displaying multiple virus resistance. *Arch. Virol.*, (Suppl) 9, 41-50.

111. Sariola, H., Sainio, K., Arumäe, U., & Saarma, M. (1994) Neurotrophins and Ciliary Neurotrophic Factor: Their Biology and Pathology. *Ann. Med.*, 26, 355-363.

1995

112. Karavanov, A., Sainio, K., Palgi, J., Saarma, M. & Saxén, L. & Sariola, H. (1995) Neurotrophin-3 rescues the neuronal precursors from apoptosis and promotes neuronal differentiation in the embryonic metanephric kidney. *Proc. Natl. Acad. Sci. USA*, 29, 11279-11283.

113. Mäkinen, K., Neass, V., Tamm, T., Truve, E., Aaspõllu, A. & Saarma, M. (1995) The putative replicase of the cocksfoot mottle sobenovirus is translated as a part of the polyprotein by -1 ribosomal frameshifting. *Virology*, 207, 566-571.

114. Mäkinen, K., Tamm, T., Neass, V., Truve, E., Puurand, Ü., Munthe, T. & Saarma, M. (1995) Characterization of cocksfoot mottle virus genomic RNA and its sequence comparison with related viruses. *J. Gen. Virol.*, 76, 2817-2825.

115. Reeben, M., Myöhänen, S., Saarma, M. & Prydz, H. (1995) Sequencing of the rat light neurofilament promoter reveals differences in methylation between expressing and non-expressing cell lines, but not tissues. *Gene*, 157, 325-329.

116. Reeben, M., Neuman, T., Palgi, J., Palm, K., Paalme, V. & Saarma, M. (1995) Characterization of the rat neurofilament (NF-L) gene promoter and identification of NGF and cAMP responsive elements. *J. Neurosci. Res.*, 40, 177-188.

117. Valkonen, J., Puurand Ü., Slack, S.A., Mäkinen, K. & Saarma, M., (1995) Identification of three strains of potato A potyvirus based on hypersensitive responses on potato, serological properties, and coat protein sequences. *Plant Diseases*, 79, 748-753.

118. Paves, H., Arumäe, U., Normet, K. & Saarma, M. (1995) Growth cone collapsing activities of brain-derived neurotrophic factor and neurotrophin-4 on embryonic rat sensory neurons. In: "Life and death in the nervous system. Role of neurotrophic factors and their receptors". *Wenner-Gren International Series*. Ed. by C. Ibáñez, K. Fuxe, T. Hökfelt, H. Jörnvall, L. Olson, and D. Ottoson. 1995, pp. 191-202.

119. Truve, E., Järvekülg, L., Bouscaren, M.L., Aaspõllu A., Priimägi, A. & Saarma, M. (1995) Different propagation levels of potato virus X (PVX) isolates in PVX coat protein expressing tobacco plants and protoplasts do not correlate with coat protein sequence similarities. *Phytopathology and Plant Protection*, 30, 15-30.

1996

120. Durbec, P., Marcos-Gutierrez, C.V., Kilkenny, C., Grigoriou, M., Wartiovaara, K., Suvanto, P., Smith, D., Ponder, B., Costantini, F., Saarma, M., Sariola, H. & Pachnis, V. (1996) GDNF signalling through the Ret receptor tyrosine kinase. *Nature*, 381, 789-793.

121. Hiltunen, J.O., Arumäe, U., Moshnyakov, M. & Saarma, M. (1996) Expression of mRNA for neurotrophins and their receptors in developing rat heart. *Circulation Res.*, 79,930-939.

122. Luukko, K., Moshnyakov, M., Sainio, K., Saarma, M. & Sariola, H. (1996) Expression of Neurotrophin Receptors During Rat Tooth Development Is Developmentally Regulated, Independent of Innervation, and Suggests Functions in the Regulation of Morphogenesis and Innervation. *Dev. Dyn.*, 206, 87-99.

123. Moshnyakov, M., Arumäe, U. & Saarma, M. (1996) Rat single trigeminal ganglion neurons express mRNAs of one, two or even three different types of catalytic trk receptors simultaneously. *Mol. Brain Res.*, 43, 141-148.

124. Pichel, J.G., Shen, L., Sheng, H.Z., Granholm, A.-C., Drago, J., Grinberg, A., Lee, E.J., Huang, S.P., Saarma, M., Hoffer, B.J., Sariola, H. & Wesphal, H. (1996) Defects in enteric innervation and kidney development in mice lacking GDNF. *Nature*, 382, 73-76.

125. Puurand Ü., Valkonen, J., Mäkinen, K., Rabenstein, F. & Saarma, M. (1996) Infectious in vitro transcripts from cloned cDNA of the potato A potyvirus. *Virus Res.*, 40, 135-140.

126. Reeben, M., Arbatova, J., Palgi, J., Miettinen, R., Halmekytö, M., Alhonen, L., Jänne, J., Riekkinen, P. & Saarma, M. (1996) Induced expression of neurotrophins in transgenic mice overexpressing ornithine decarboxylase and overproducing putrescine. *J. Neurosci. Res.*, 45, 542-548.

127. Suvanto, P., Hiltunen, J.O., Arumäe, U., Moshnyakov, M., Sariola, H., Sainio, K. & Saarma, M. (1996) Localization of glial cell line-derived neurotrophic factor (GDNF) mRNA in embryonic rat by in situ hybridization. *Eur. J. Neurosci.*, 8, 816-822.

128. Trupp, M., Arenas, E., Fainzilber, M., Nilsson, A.-S., Sieber, B.-A., Grigoriou, M., Kilkenny, C., Salazar-Grueso, E., Pachnis, V., Arumäe, U., Sariola, H., Saarma, M. & Ibáñez, C.F. (1996) Functional receptor for GDNF encoded by the c-ret proto-oncogene. *Nature*, 381, 785-789.

129. Wegelius, K., Reeben, M., Rivera, C., Kaila, K., Saarma, M. & Pasternack, M. (1996) The Rho GABA receptor cloned from rat retina is downmodulated by protons. *Neuro Report*, 7,2005-2009.

1997

130. Kujala, P., Rikkonen, M., Ahola, T., Kelve, M., Saarma, M. & Kääriäinen, L. (1997) Monoclonal Antibodies Specific for Semliki Forest Virus Replicase Protein NSP2. *J. Gen. Virol.*, 78(Part 2):343-351.

131. Luukko, K., Arumäe, U., Karavanov, A., Moshnyakov, M., Sainio, K., Sariola, H., Saarma, M. & Thesleff, I. (1997) Neurotrophin mRNA Expression in the Developing Tooth Suggests Multiple Roles in Innervation and Organogenesis. *Devel. Dyn.*, 210,117-129.

132. Luukko, K., Sainio, K., Sariola, H., Saarma, M. & Thesleff, I. (1997) Localization of Nerve Cells in the Developing Rat Tooth. *J. Dental Res.*, 76(7),1350-1365.

133. Luukko, K., Suvanto, P., Saarma, M. & Thesleff, I. (1997) Expression of GDNF and its receptors in developing tooth is developmentally regulated and suggests multiple roles in innervation and organogenesis. *Develop. Dyn.*, 210,1-9.

134. Paves, H. & Saarma, M. (1997) Neurotrophins as in vitro growth cone guidance molecules for embryonic sensory neurons. *Cell Tissue Res.*, 290,285-297.

135. Pichel, J.G., Shen, L., Sheng, H.Z., Granholm, A.-C., Drago, J., Grimberg, A., Lee, E.J., Huang, S.P., Saarma, M., Hoffer, B.J., Sariola, H. & Westphal, H. (1997) GDNF Is Required for Kidney Development and Enteric Innervation. *Cold Spring Harbor Symposium on Quantitative Biology*, 61,445-457.

136. Pirvola, U., Hallböök, F., Xing-Qun, L., Virkkala, J., Saarma, M. Ylikoski, J. (1997) Expression of neurotrophins and Trk receptors in the developing, adult and regenerating avian cochlea. *J. Neurobiol.*, 33, 1019-1033.

137. Sainio, K., Suvanto, P., Davies, J., Wartiovaara, J., Wartiovaara, K., Saarma, M., Arumäe, U., Meng, X., Lindahl, M., Pachnis, V. & Sariola, H. (1997) Glial-cell-line-derived Neurotrophic factor is required for bud initiation from the ureteric epithelium. *Development*, 124,4077-4087.

138. Suvanto, P., Wartiovaara, K., Lindahl, M., Arumäe, U., Moshnyakov, M., Horelli-Kuitunen, N., Airaksinen, M. S., Palotie, A., Sariola, H. & Saarma, M. (1997) Cloning, mRNA distribution and chromosomal localization of the gene for glial cell line-derived neurotrophic factor receptor beta, a homologue to GDNFR- alpha., *Hum. Mol. Gen.*, Vol. 6, 8,1267-1273.

139. White, L.A., Reeben M., Saarma, M. & Whittemore, S.R. (1997) Transcriptional regulation of neurofilament gene expression by protein kinase A. *J. Neurosci. Res.*, 47,242-252.

140. Davies, A., Dixon, J.E., Fox, G., Ibáñez, C., Jing, S., Johnson, E., Milbrandt, J., Philips, H., Rosenthal, A., Saarma, M., Sanicola, M., Treanor, J. Vega, Q.C. (1997) Nomenclature of GPI-linked Receptors for the GDNF Ligand Family. *Neuron*, 19, 485.

1998

141. Haapasalo, A., Saarelainen, T., Moshnyakov, M., Arumäe, U., Kiema, T.-R., Saarma, M., Wong, G. and Castrén, E. (1998) Expression of the naturally occurring truncated trkB neurotrophin receptor induces outgrowth of filopodia and processes in neuroblastoma cells. *Oncogene*, 18: 1285-1296.

142. Luukko, K., Saarma, M. and Thesleff, I. (1998) Neurturin mRNA Expression Suggests Roles in Trigeminal Innervation of the First Branchial Arch in Tooth Formation. *Dev. Dyn.*, 213: 207-219.

143. Merits, A., Deyin, G. and Saarma, M. (1998) Vpg, coat protein and five non-structural proteins of potato A potyvirus bind RNA in a sequence-unspecific manner. *J. Gen. Virol.*, 79: 3123-3127.

144. Reeben, M., Laurikainen, A., Hiltunen, J.O., Castrén, E. and Saarma, M. (1998) The messenger RNAs for both glial cell line-derived neurotrophic factor receptors, C-ret and GDNFR β , are induced in the rat brain in response to Kainate-induced excitation. *Neuroscience*, 83(1):151-159.
145. Rivera, C., Voipio, J., Payne, J.A., Ruusuvuori, E., Lahtinen, H., Lamsa, K., Pirvola, U., Saarma, M. and Kaila, K. (1998) A K⁺/Cl⁻ co-transporter KCC2 renders GABA hyperpolarising during neuronal maturation. *Nature*, 397:251-255.
146. Rossi, J., Luukko, K., Poteriaev, D., Sun, Y.F., Laakso, T., Eerikäinen, S., Tuominen, R., Lakso, M., Rauvala, H., Arumäe, U., Pasternack, M., Saarma, M. and Airaksinen, M.S. (1998) Retarded growth and deficits in the enteric and parasympathetic nervous system in mice lacking GFR α 2, a functional neurturin receptor. *Neuron*, 22: 243-252.
147. Runeberg-Roos, P. and Saarma, M. (1998) Phytapsin, a barley vacuolar aspartic proteinase, is highly expressed during autolysis of developing tracheary elements and sieve cells. *Plant J.*, 15(1):139-145.
148. Wegelius, K., Pasternack, M., Hiltunen, J.O., Rivera, C., Kaila, K., Saarma, M. and Reeben, M. (1998) Distribution of GABA receptor α subunit transcripts in the rat brain. *Eur. J. Neurosci.*, 10:350-357.
149. Ylikoski, J., Pirvola, K., Virkkala, J., Suvanto, P., Liang, X.-Q., Magal, E., Altschuler, R., Miller, J.M. and Saarma, M. (1998) Guinea pig auditory neurons are protected by glial cell line-derived growth factor from degeneration after noise trauma. *Hearing Res.* 124: 17-26.

1999

150. Dorokhov, Yu. L., Mäkinen, K., Frolova, O. Yu., Merits, A., Saarinen, J., Kalkkinen, N., Atabekov, J. G. and Saarma, M. (1999) A novel function for a ubiquitous plant enzyme pectin methylesterase: the host-cell receptor for the tobacco mosaic virus movement protein. *FEBS Lett.*, 461: 223-228.
151. Guo, D., Merits, A. and Saarma, M. (1999) Self-association and mapping of interaction domains of the helper component proteinase of potato A potyvirus. *J. Gen. Virol.*, 80: 1127-1131
152. Haapasalo, A., Saarelainen, T., Moshnyakov, M., Arumäe, U., Kiema, T.-R., Saarma, M., Wong, G. and Castrén, E. (1999) Expression of the naturally occurring truncated trkB neurotrophin receptor induces outgrowth of filopodia and processes in neuroblastoma cells. *Oncogene* 18: 1285-1296.
153. Kokaia, Z., Airaksinen, M., Nanobashvili, A., Larsson, E., Kujamäki, E., Lindwall, O. and Saarma, M. (1999) Glial Cell Line-Derived Neurotrophic Factor (GDNF), Neurturin, c-ret Proto-Oncogene, and GDNF Family Receptors α -1, and α -2 mRNAs Are Differentially Regulated After Insults in the Rat. *Eur. J. Neurosci.*, 11:1202-1216
154. Merits, A., Guo, D., Järvekülg, L. and Saarma, M. (1999) Biochemical and genetic evidence for interactions between potato A potyvirus-encoded proteins P1 and P3 and proteins of the putative replication complex. *Virology*, 263: 15-22.
155. Poteriaev, D., Titievsky, A., Sun, Y. F., Thomas-Crusells, J., Lindahl, M., Billaud, M., Arumäe, U. and Saarma, M. (1999) GDNF triggers a novel Ret-independent Src-kinase family-coupled signaling via a GPI-linked GDNF receptor α 1. *FEBS Lett.*, 463: 63-66.
156. Qun, L. X., Pirvola, U., Saarma, M., Ylikoski, J. (1999) Neurotrophic factors in the auditory periphery. *Ann. N. Y. Acad. Sci.* 884: 292-304.

157. Rivera, C., Voipio, J., Payne, J.A., Ruusuvuori, E., Lahtinen, H., Lamsa, K., Pirvola, U., Saarma, M. and Kaila, K. (1999) A K⁺/Cl⁻ co-transporter KCC2 renders GABA hyperpolarizing during neuronal maturation. *Nature* 397: 251-255.
158. Rossi, J., Luukko, K., Poteriaev, D., Laurikainen, A., Sun, Y.F., Laakso, T., Eerikäinen, S., Tuominen, R., Lakso, M., Rauvala, H., Arumäe, U., Pasternack, M., Saarma, M. and Airaksinen, M.S. (1999) Retarded growth and deficits in the enteric and parasympathetic nervous system in mice lacking GFRa2, a functional neurturin receptor. *Neuron*, 22: 243-252.
159. Saarma, M. and Arumäe, U. (1999) GDNF Family: New Promising Growth Factors. *NeuroScience News* 2: 26-34.
160. Saarma, M. and Sariola, H. (1999) Other neurotrophic factors: Glial cell line-derived neurotrophic factor. *Microscopy Res. Techn.* 45: 292-302.
161. Sariola, H., and Saarma, M. (1999) GDNF and its receptor in the regulation of ureteric branching. *Int. J. Dev. Biol.*, 43: 413-418.
162. Schober, A., Hertel, R., Arumäe, U., Farkas, L., Jaszai, J., Krieglstein, K., Saarma, M. and Unsicker, K. (1999) GDNF rescues target-deprived sympathetic spinal cord neurons but requires TGF- β as co-factor in vivo. *J. Neurosci.*, 19(6): 2008-2015
163. Uusitalo, A., Tenhunen, K., Heinonen, O., Hiltunen, J.O., Saarma, M., Haltia, M., Jalanko, A. and Palotie, L. (1999) Towards understanding the neuronal pathogenesis of aspartylglycosaminuria: expression of aspartylglycosaminidase in brain during development. *Mol. Gen. Devel.*, 67: 294-307.
164. Airaksinen, M. S., Titievsky, A. and Saarma, M. (1999) GDNF family neurotrophic factor signalling: four masters one servant? *Mol. Cell. Neurosci.*, 13:313-325

2000

165. D'Amato E, Kokaia Z, Nanobashvili A, Reeben M, Lehesjoki A-E, Saarma M, and Lindvall O. (2000). Seizures induce widespread upregulation of cystatin B, the gene mutated in progressive myoclonus epilepsy, in rat forebrain neurons. *Eur. J. Neurosci.* 12(5): 1687-1695.
166. Hiltunen, J.O., Laurikainen, A., Airaksinen, M.S., and Saarma, M. (2000). GDNF family receptors in the embryonic and postnatal rat heart and reduced cholinergic innervation in mice hearts lacking Ret or GFRa2. *Dev. Dyn.* 219(1): 28-39.
167. Kuitinen, T., Eggert, A., Lindholm, P., Horelli-Kuitunen, N., Palotie, A., Maris, J.M., and Saarma, M. (2000). A novel human gene, DAD-R, maps to 12p12 and is expressed in several organs. *FEBS Lett* 473(2): 233-236.
168. Laurikainen, A., Hiltunen, J.O., Thomas-Crusells, J., Vanhatalo, S., Arumäe, U., Airaksinen, M.S., Klinge, E., and Saarma, M. (2000). Neurturin is a neurotrophic factor for penile parasympathetic neurons in adult rat. *J. Neurobiol.* 43(2): 198-205.
169. Laurikainen, A., Hiltunen, J.O., Vanhatalo, S., Klinge, E., and Saarma, M. (2000). Glial cell line-derived neurotrophic factor is expressed in penis of adult rat and retrogradely transported in penile parasympathetic and sensory nerves. *Cell Tissue Res.* 302(3): 321-329.
170. Lindahl, M., Timmusk, T., Rossi, J., Saarma, M., and Airaksinen, M.S. (2000). Expression and alternative splicing of mouse Gfra4 suggests roles in endocrine cell development. *Mol. Cell. Neurosci.* 15(6): 522-533.
171. Meng, X., Lindahl, M., Hyvönen, M.E., Parvinen, M., de Rooij, D.G., Hess, M.W., Raatikainen-Ahokas, A., Sainio, K., Rauvala, H., Lakso, M., Pichel, J.G., Westphal, H., Saarma, M, and Sariola, H.

(2000). Regulation of cell fate decision of undifferentiated spermatogonia by GDNF. *Science* 287: 1489-1493.

172. Nanobasvili, A., Airaksinen, M.S., Kokaia, M., Rossi, J., Asztély, F., Olofsdotter, K., Mohapel, P., Saarma, M., Lindvall, O., and Kokaia, Z. (2000). Development and persistence of kindling epilepsy are impaired in mice lacking GDNF family receptor 2. *Proc. Natl. Acad. Sci., USA* 97: 12312-12317.

173. Pirvola, U., Xing-Qun, L., Virkkala, J., Saarma, M., Murakata, C., Camoratto, A.M., Walton, K.M., and Ylikoski, J. (2000). Rescue of hearing, auditory hair cells, and neurons by CEP-1347/KT7515, and inhibitor of c-Jun N-terminal kinase activation. *J. Neurosci.* 20(1): 43-50.

174. Rossi, J., Tomac, A., Saarma, M., and Airaksinen, M.S. (2000). Distinct roles for GFRa1 and GFRa2 signalling in different cranial parasympathetic ganglia in vivo. *Eur. J. Neurosci.* 12: 3944-3952.

175. Schober, A., Arumäe, U., Saarma, M., and Unsicker, K. (2000). Expression of GFRa-1, GFRa-2, and c-Ret mRNAs in rat adrenal gland. *J. Neurocyt.* 29: 209-213.

176. Saarma, M. (2000). GDNF- a stranger in the TGF-beta superfamily. *Eur. J. Biochem.* 267: 6968-6971.

2001

177. Arvidsson, A., Kokaia, Z., Airaksinen, M.S., Saarma, M., and Lindvall, O. (2001). Stroke induces widespread changes of gene expression for glial cell line-derived neurotrophic factor family receptors in the adult rat brain. *Neuroscience* 106: 27-41.

178. Hamnér, S., Arumäe, U., Li-Ying, Y., Sun, Y-F., Saarma, M., and Lindholm, D. (2001). Functional characterization of two splice variants of rat Bad and their interaction with Bcl-w in sympathetic neurons. *Mol. Cell. Neurosci.* 17: 97-106.

179. Lindahl, M., Poteryaev, D., Liying, Y., Arumäe, U., Timmusk, T., Bongarzone, I., Aiello, A., Pierotti, M.A., Airaksinen, M.S., and Saarma, M. (2001). Human GFRa4 is the receptor for persephin, and is selectively expressed in normal and malignant thyroid medullary cells. *J. Biol. Chem.* 276(12): 9344-9351.

180. Meng, X., de Rooij, D.G., Westerdahl, K., Saarma, M., and Sariola, H. (2001). Promotion of seminomatous tumors by targeted overexpression of glial cell-line-derived neurotrophic factor in mouse testis. *Cancer Res.* 61(8): 3267-3271.

181. Poteriaev, D.A., and Saarma, M. (2001). The GDNF family: from neurotrophic factors to oncogenesis. *Mol. Biol. (Moscow, English Version)* 35: 309-320.

Saarma, M. (2001). GDNF recruits the signaling crew into lipid rafts. *Trends in Neurosci.* 24: 427-429.

182. Saarma, M., and Arumäe, U. (2001) Introduction. *CMLS, Cell Mol. Life Sci.* 58: 1001-1002.

Sun, Y-F., Yu, L-Y., Saarma, M., Timmusk, T., and Arumäe, U. (2001). Neuron-specific BH3-only splice variant of Bak is anti-apoptotic in neurons but pro-apoptotic in nonneuronal cells. *J. Biol. Chem.* 276: 16240-16247.

2002

183. Merits, A., Rajamäki, M.L., Lindholm, P., Runeberg-Roos, P., Kekarainen, T., Puustinen, P., Mäkeläinen, K., Valkonen, J. P.T. and Saarma, M. (2002) Proteolytic processing of potyviral proteins and polyprotein processing intermediates in insect and plant cells. *J. Gen. Virol.*, 83, 1211-1221.

184. Rivera, C., Hong, Li., Thomas-Crusells, J., Lahtinen, H., Viitanen, T., Nanobashvili, A., Kokaia, Z., Airaksinen, M.S., Voipio, J., Kaila, K., and Saarma, M. (2002). BDNF-induced TrkB activation down-regulates the K⁺-Cl⁻ cotransporter KCC2 and impairs neuronal Cl⁻ extrusion. *J. Cell Biol.* 159: 747-752.
185. Airaksinen, M.S., and Saarma, M. (2002). GDNF family neurotrophic factors: receptor mechanisms, biological functions and therapeutic utility. *Nature Rev. Neurosci.* 3: 383-394.

2003

186. Allmendinger, A., Stoeckel, E, Saarma, M., Unsicker, K., and Huber, K. (2003). Development of adrenal chromaffin cells is largely normal in mice lacking the receptor tyrosine kinase c-Ret. *Mech. Dev.* 120(3): 299-304.
187. Guo, D., Spetz, C., Saarma, M. and Valkonen, J. P. T. (2003) Two potato proteins, including a novel RING-finger protein (HIP1), interact with the potyviral multifunctional protein HCpro. *Mol. Plant-Plant Interact.*
188. Laurén, J., Airaksinen, M.S., Saarma, M., and Timmusk, T. (2003). A novel gene family encoding leucine-rich repeat transmembrane proteins differentially expressed in the nervous system. *Genomics* 81(4): 411-421.
189. Laurén, J., Airaksinen, M.S., Saarma, M., and Timmusk, T. (2003). Two Novel Mammalian Nogo Receptor Homologs Differentially Expressed in the Central and Peripheral Nervous System. *Mol. Cell. Neurosci.* 24(3): 581-594.
190. Ludwig, A., Li, H., Saarma, M., Kaila, K., and Rivera, C. (2003). Developmental up-regulation of KCC2 in the absence of GABAergic and glutamatergic transmission. *Eur. J. Neurosci.* 18(12):3199-3206. *Microb. Interact.*, 16 (5), 405-410.
191. Popsueva, A., Poteryaev, D., Arighi, E., Meng, X., Angers-Loustau, A., Kaplan, D., Saarma, M, and Sariola, H. (2003). GDNF promotes tubulogenesis of GFR α 1-expressing MDCK cells by Src-mediated phosphorylation of MET receptor tyrosine kinase. *J. Cell Biol.* 161(1): 119-129.
192. Sun, Y.-F., Yu, L.-Y., Saarma, M., and Arumäe, U. (2003). Mutational analysis of N-BAK reveals different structural requirements for antiapoptotic activity in neurons and proapoptotic activity in nonneuronal cells. *Mol. Cell. Neurosci.* 23: 134-143.
193. Thomas-Crusells, J., Vieira, A., Saarma, M., and Rivera C. (2003). A novel method for monitoring surface membrane trafficking on hippocampal acute slice preparation. *J. Neurosci. Meth.* 125: 159-166.
194. Yu, L.-Y., Jokitalo, E., Sun, Y.-F., Mehlen, P., Lindholm, D., Saarma, M., and Arumäe, U. (2003). GDNF-deprived sympathetic neurons die by nonmitochondrial pathway. *J. Cell Biol.* 163: 987-997.
195. Sariola, H., and Saarma, M. (2003). Novel functions and signalling pathways for GDNF. *J. Cell Sci.* 116: 3855-3862.

2004

196. Airavaara, M., Planken, A., Gäddnäs, H., Piepponen, T. P., Saarma, M. and Ahtee, L. (2004) Increased extracellular dopamine concentrations and FosB/DFosB expression in striatal brain areas of heterozygous GDNF knockout mice. *Eur. J. Neurosci.*, 20(9):2336-2344.
197. Leppänen, V.-M., Bessalov, M. M., Runeberg-Roos, P., Puurand, Ü., Merits, A., Saarma, M. and Goldman, G. (2004) The structure of GFR α 1 domain 3 reveals a novel fold and new insights into GDNF binding and RET activation. *EMBO J.*, 23(7):1452-1462.

198. Paveliev, M., Airaksinen, M. S. and Saarma, M. (2004) GDNF family ligands activate multiple events during axonal growth in mature sensory neurons. *Mol. Cell. Neurosci.*, 25(3), 453-459.
199. Rivera, C., Voipio, J., Thomas-Crusells, J., Li, H., Emri, Z., Sipilä, S., Payne, J. A., Minichiello, L., Saarma, M. and Kaila, K. (2004) Mechanism of activity-dependent downregulation of the neuron-specific K-Cl cotransporter KCC2. *J. Neurosci.*, 24(19):4683-4691.
200. Yang, J., Lindahl, M., Lindholm, P., Virtanen, H., Coffey, E., Runeberg-Roos, P. and Saarma, M. (2004) PSPN/GFR α 4 Has a Significantly Weaker Capacity than GDNF/GFR α 1 to Recruit RET to Rafts, but Promotes Neuronal Survival and Neurite Outgrowth. *FEBS Lett.*, 569 (1-3), 267-271.

2005

201. Alakuijala A, Palgi M, Wegelius K, Schmidt M, Enz R, Paulin L, Saarma M, Pasternack M. (2005) GABA receptor rho subunit expression in the developing rat brain. *Brain Res Dev Brain Res.* 154(1): 15-23.
202. Aurikko, JP, Ruotolo, BT., Grossmann, JG., Moncrieffe, M., Stephens, E., Leppänen, V-M., Robinson, CV., Saarma, M., Bradshaw, RA. and Blundell, T.L. (2005). Characterization of symmetric complexes of nerve growth factor and the ectodomain of the pan-neurotrophin receptor, p75NTR. *J. Biol. Chem.*, 280(39):33453-33460.
203. Hiltunen JO, Laurikainen A, Klinge E, Saarma M. (2005) Neurotrophin-3 is a target-derived neurotrophic factor for penile erection-inducing neurons. *Neuroscience.*133(1): 51-58.
204. Lonka L, Aalto A, Kopra O, Kuronen M, Kokaia Z, Saarma M, Lehesjoki AE. (2005) The neuronal ceroid lipofuscinosis Cln8 gene expression is developmentally regulated in mouse brain and up-regulated in the hippocampal kindling model of epilepsy. *BMC Neurosci.* 6(1): 27.
205. Overmyer, O., Brosche, M., Pellinen, R., Kuittinen, T., Tuominen, H., Ahlfors, H., Keinänen, M., Saarma, M., Scheel, D. and Kangasjärvi, J. (2005) Ozone-induced programmed cell death in the arabidopsis radical-induced cell death1 mutant. *Plant Physiol.* 137(3):1092-1104.
206. Virtanen, H., Yang, J., Bessalov, M. M., Hiltunen, J. O., Leppänen, V- M., Kalkkinen, N., Goldman, A., Saarma, M. and Runeberg-Roos, P. (2005).. The first cysteine-rich domain of the GFR α 1 receptor stabilises the binding of GDNF. *Biochem. J* 387 (3): 817-824.

2006

207. Airavaara, M., Mijatovic, J., Vihavainen, T., Piepponen, T.- P. Saarma, M. and Ahtee, L. (2006) In heterozygous GDNF knockout mice the response of striatal dopaminergic system to acute morphine is altered" *Synapse*, 59(6):321-329.
208. Airavaara, M., Tuomainen, H., Piepponen, T.- P., Saarma, M. and Ahtee, L. (2006) Effects of repeated morphine on locomotion, place preference and dopamine in heterozygous GDNF knockout mice. *Genes, Brain and Behavior*, Epub ahead of print, July 2006.
209. Lindfors, P. H., Lindahl, M., Rossi, J., Saarma, M. and Airaksinen, M. S. (2006) Ablation of persephin receptor GFR α 4 impairs thyroid calcitonin production in young mice. *Endocrinology.* 147(5):2237-2244.
210. Saarma, M. (2006) GFL neurotrophic factors: receptors, physiology and pharmacology. *New Encyclopaedia of Neuroscience.*
211. Yang, J., Runeberg-Roos, P., Leppänen, V-M. and Saarma, M. (2006) The mouse soluble GFR α 4 receptor activates RET independently of its ligand persephin. *Oncogene*, doi: 10.1038/sj.onc.1210161.

2007

212. Aalto, A.P., Sarin, L.P., van Dijk, A.A., Saarma, M., Poranen, M.M., Arumäe, U. and Bamford, D.H. (2007) Large-scale production of dsRNA and siRNA pools for RNA interference utilizing bacteriophage ϕ 6 RNA-dependent RNA polymerase. *RNA*, 13(3), 422-429.
213. Li, H., Khirug, S., Cai, C., Ludwig, A., Blaesse, P., Kolikova, J., Afzalov, R., Coleman, S. K., Lauri, S., Airaksinen, M. S., Keinänen, K., Khiroug, L., Saarma, M., Kaila, K. and Rivera, C. (2007) KCC2 interacts with the dendritic cytoskeleton to promote spine development. *Neuron*, 56(6), 1019-1033.
214. Lindholm, P., Voutilainen, M. H., Laurén, J., Peränen, J., Leppänen, V-M., Andressoo, J.-O., Lindahl, M., Janhunen, S., Kalkkinen, N., Timmusk, T., Tuominen, R. K. and Saarma, M. (2007) Novel neurotrophic factor CDNF protects and rescues midbrain dopamine neurons in vivo. *Nature*, 448, 73-77.
215. Mijatovic, J., Airavaara, M., Planken, A., Auvinen, P., Raasmaja, A., Piepponen, P., Costantini, F., Ahtee, L. and Saarma, M. (2007). Constitutive Ret activity in knock-in Multiple Endocrine Neoplasia type B mice induces profound elevation of brain dopamine concentration via enhanced synthesis and increases number of TH-positive cells in substantia nigra. *J. Neurosci.*, 27 (18), 4799-4809.
216. Paveliev, M., Lume, M., Velthut, A., Phillips, M., Arumäe, U. and Saarma, M. (2007) Neurotrophic factors switch between two signaling pathways that trigger axonal growth. *J. Cell Sci.*, 120 (15), 2507-2516.
217. Runeberg-Roos, P., Virtanen, H. and Saarma, M. (2007) "RET(MEN 2B) is active in the endoplasmic reticulum before reaching the cell surface" *Oncogene*, 26, 7909–7915.
218. Yang, J., Runeberg-Roos, P., Leppänen, V.-M. and Saarma, M. (2007) The mouse soluble GFR α 4 receptor activates RET independently of its ligand persephin. *Oncogene*, 26 (26), 3892-3898.
219. Bespalov, M., Saarma, M. (2007) GDNF receptor complex is an emerging drug target. *Trends in Pharmacological Sciences* 28 (2), 68-74.
220. Runeberg-Roos, P. and Saarma, M. (2007) Neurotrophic factor receptor RET: structure, cell biology, and inherited diseases. *Annals of Medicine*, 39, 572-580.
221. Saarma, M. Närvirakkude ühendustest, elust ja surmast. *Horisont*. 1, 20-23, 2007.

2008

222. Immonen, T., Alakuijala, A., Hytönen, M., Sainio, K., Poteryaev, D., Saarma, M., Pasternack, M., and Sariola, H. (2008) A proGDNF-related peptide BEP increases synaptic excitation in rat hippocampus. *Exp. Neurol.*, 210 (2), 793-796.
223. Katritzky, A. R., Dobchev, D. A., Stoyanova-Slavova, I. B., Kuanar, M., Bespalov, M. M., Karelson, M. and Saarma, M. (2008) Novel computational models for predicting dopamine interactions. *Exp. Neurol.*, 211 (1), 150-171.
224. Lindholm, P., Peränen, J., Andressoo, J.O., Kalkkinen, N., Kokaia, Z., Lindvall, O., Timmusk, T. and Saarma M. (2008) MANF is widely expressed in mammalian tissues and differently regulated after ischemic and epileptic insults in rodent brain. *Mol Cell Neurosci.*, 39(3), 356-371.
225. Mijatovic, J., Patrikainen, O., Yavich, L., Airavaara, M., Ahtee, L., Saarma, M. and Piepponen, T.P. (2008) Characterization of the striatal dopaminergic neurotransmission in MEN2B mice with elevated cerebral tissue dopamine. *J. Neurochem.*, 105(5), 1716-1725.

226. Parkash, V., Leppänen, V-M., Virtanen, H., Jurvansuu, J. M., Besselov, M. M., Sidorova, Y. A., Runeberg-Roos, P., Saarma, M. and Goldman, A. (2008) The Structure of the glial cell line-derived neurotrophic factor-coreceptor complex. Insights into RET signalling and heparin binding. *J. Biol. Chem.*, 283, (50), 35164-35172.
227. Paveliev, M., Hienola, A., Jokitalo, E., Planken, A., Besselov, M.M., Rauvala, H. and Saarma, M (2008) Sensory neurons from N-syndecan-deficient mice are defective in survival. *NeuroReport*, 19(14), 1397-400.
228. Paveliev, M. and Saarma, M. (2008) Information processing by NGF-activated signaling networks. In: *Nerve Growth Factor: New Research*. Guy K. Mc Intire, Editor. Nova Science Publishers, NY, pp. 345-358.
229. Shulga, A., Thomas-Crusells, J., Sigl, T., Blaesse, A., Mestres, P., Meyer, M. Yan, Q., Kaila, K., Saarma, M, Rivera, C. and Giehl, K. (2008) Posttraumatic GABAA-mediated $[Ca^{2+}]_i$ increase is essential for the induction of brain-derived neurotrophic factor-dependent survival of mature central neurons. *J. Neurosci.*, 28(27), 6996-7005.
230. Yu, L.-Y., Saarma, M. and Arumäe, U. (2008) Death receptors and caspases but not mitochondria are activated in the GDNF- or BDNF-deprived dopaminergic neurons. *J. Neurosci.*, 28 (30), 7467-7475.
231. Andressoo, J.-O. and Saarma, M. (2008) Signalling mechanisms underlying development and maintenance of dopamine neurons. *Curr Opin Neurobiol.*, 18, 297–306.

2009

232. Airavaara M, Shen H, Kuo CC, Peränen J, Saarma M, Hoffer B, Wang Y. (2009) Mesencephalic astrocyte-derived neurotrophic factor reduces ischemic brain injury and promotes behavioral recovery in rats. *J Comp Neurol*. 515 (1): 116-124.
233. Mijatovic, J., Piltonen, M., Alberton, P., Männistö, P. T., Saarma, M., Piepponen, T. P. (2009) Constitutive Ret signaling is protective for dopaminergic cell bodies but not for axonal terminals. *Neurobiology of Aging*, 2009 Sep 18. [Epub ahead of print]
- *234. Palgi M, Lindström R, Peränen J, Piepponen TP, Saarma M, Heino TI. (2009) Evidence that DmMANF is an invertebrate neurotrophic factor supporting dopaminergic neurons. *Proc Natl Acad Sci U S A*. 106 (7): 2429-2434.
235. Parkash, V., Lindholm, P., Peränen, J., Kalkkinen, N., Oksanen, E., Saarma, M., Leppänen, V-M. and Goldman, A. (2009) The structure of the conserved neurotrophic factors MANF and CDNF explains why they are bifunctional. *Protein Eng.Des. Sel.*, 22(4): 233-241.
236. Piltonen M, Besselov MM, Ervasti D, Matilainen T, Sidorova YA, Rauvala H, Saarma M, Männistö PT.(2009) Heparin-binding determinants of GDNF reduce its tissue distribution but are beneficial for the protection of nigral dopaminergic neurons.*Exp Neurol*. 219(2): 499-506.
237. Shulga A, Blaesse A, Kysenius K, Huttunen HJ, Tanhuanpää K, Saarma M, Rivera C. (2009) Thyroxin regulates BDNF expression to promote survival of injured neurons.*Mol Cell Neurosci*. 42(4): 408-418.
238. Voutilainen, M.H., Bäck, S., Pörsti, E., Toppinen, L., Lindgren, L., Lindholm, P., Peränen, J., Saarma, M.* and Tuominen, R. K. (2009) Neurotrophic factor MANF is neurorestorative in rat model of Parkinson's disease. *J. Neurosci.*, 29(30): 9651-9659. *Corresponding author.

239. Saarma M., (2009). GFL Neurotrophic Factors: Physiology and Pharmacology. Encyclopedia of Neuroscience, volume 4, pp. 711-720. (L.R. Squire, Editor). Oxford: Academic Press.

2010

240. Lindholm P, Saarma M.(2010) Novel CDNF/MANF family of neurotrophic factors. *Dev Neurobiol.* 70(5): 360-371.

241. Sidorova YA, Mätlik K, Paveliev M, Lindahl M, Piranen E, Milbrandt J, Arumäe U, Saarma M, Beshpalov MM. (2010) Persephin signaling through GFRalpha1: the potential for the treatment of Parkinson's disease. *Mol Cell Neurosci.* 44 (3):223-232.

242. Lonka-Nevalaita L, Lume M, Leppänen S, Jokitalo E, Peränen J and Saarma M. (2010) Characterization of the intracellular localization, processing and secretion of two GDNF splice isoforms. *J. Neurosci.* , 30(34):11403-11413.

243. Hellman M, Peranen J, Saarma M, and Permi P. (2010) H-1, C-13 and N-15 resonance assignments of the human mesencephalic astrocyte-derived neurotrophic factor. *Biomelecular NMR Assignments.* 4 (2): 215-217.

2011

244. Beshpalov MM, Sidorova Y A, Tumova S, Ahonen-Bishopp A, Magalhães AC, Kuleskiy E, Paveliev M, Rivera C, Rauvala H, and Saarma M. (2011) Heparan sulfate proteoglycan syndecan-3 is a novel receptor for GDNF, neurturin and artemin. *J. Cell Biol.*, 192(1):153-169.

245. Hellman M, Arumäe U, Yu L-y, Lindholm P, Peränen J, Saarma M* and Permi P*. Neurotrophic factor MANF has a unique mechanism to rescue apoptotic neurons. (2011) *J Biol Chem*, 286(4):2675-80. *equal contribution.

246. Ludwig A, Uvarov P, Pellegrino C, Thomas-Crusells J, Schuchmann, Saarma M, Airaksinen MS, and Rivera C. (2011) Neurturin evokes MAPK-dependent upregulation of Egr4 and KCC2 in developing neurons. *Hindawi Publishing Corporation. Neural Plast* 2011:1-8.

247. Mijatovic J, Piltonen M, Alberton P, Männistö PT, Saarma M, Piepponen TP. (2011) Constitutive Ret signaling is protective for dopaminergic cell bodies but not for axonal terminals. *Neurobiology of Aging* 32 (8), 1486-1494.

248. Piltonen M, Planken A, Leskelä O, Myöhänen TT, Hänninen AL, Auvinen P, Alitalo K, Andressoo JO, Saarma M, Männistö PT. (2011) Vascular endothelial growth factor C acts as a neurotrophic factor for dopamine neurons in vitro and in vivo. *Neuroscience.* 192, 550-563.

249. Voutilainen MH, Bäck S, Peränen J, Lindholm P, Raasmaja A, Männistö PT, Saarma M, Tuominen RK. Chronic infusion of CDNF prevents 6-OHDA-induced deficits in a rat model of Parkinson's disease. (2011) *Exp Neurol.* 228(1): 99-108.

2012

250. Airavaara M., Harvey B. K., Voutilainen M. H., Shen H., Chou J., Lindholm P., Lindahl M., Tuominen R. K., Saarma M., Wang Y., Hoffer B. (2012). CDNF protects the nigrostriatal dopamine system and promotes recovery after MPTP treatment in mice. *Cell Transplantation*, 21, 1213–1223.

251. Kallijärvi J, Stratoulas V, Virtanen K, Hietakangas V, Heino TI, and Saarma M. (2012) Characterization of Drosophila GDNF receptor-like and evidence for its evolutionarily conserved interaction with Neural Cell Adhesion Molecule (NCAM)/FasII. *PLoS ONE* 7(12):e51997. doi: 10.1371/journal.pone.0051997. Epub 2012 Dec 20

252. Pitkonen M, Hippeläinen E, Raki M, Andressoo JO, Urtti A, Männistö PT, Savolainen S, Saarma M, Bergström K. (2012) Advanced brain dopamine transporter imaging in mice using small-animal SPECT/CT. *EJNMMI Res.* 2(1):55. doi: 10.1186/2191-219X-2-55.

253. Saarma M, Lindholm P, Arumäe U. (2012) Neurotrophic Factors. Chapter 7. Movement Disorders, 3rd Edition, edited by Watts, Standaert and Obeso, 129-140.

254. Saarma M. (2012) Teaduse kvaliteedist ja innovatsioonist. *Riigikogu Toimetised* 25, 9-20.

255. Saarma M, Arumäe U. (2012) Rakumaailma filosoofiline kivi. *Sirp.* 39 (3413) 19.10.2012

256. Eero Castrén, Mart Saarma, Dan Lindholm. Tutkija löysi uutta tietoa hermostosta. Professori Hans Thoenen. *Helsingin Sanomat* 13.07. 2012.

2013

257. Glerup S, Lume M, Olsen D, Nyengaard JR, Vaegter, CB, Gustafsen C, Christensen EI, Kjolby M, Hay-Schmidt A, Lande AD, Madsen P, Saarma M, Nykjaer A and Petersen CM. (2013) SorLA controls neurotrophic activity through sorting of GDNF and its receptors GFR α 1 and RET. *Cell Reports* 3, 1–14.

258. Bäck S, Peränen J, Galli E, Pulkkila P, Lonka-Nevalaita L, Tamminen T, Voutilainen MH, Raasmaja A, Saarma M, Männistö PT, Tuominen RK. (2013) Gene therapy with AAV2-CDNF provides functional benefits in a rat model of Parkinson's disease. *Brain Behav.* 3(2):75-88.

259. Piccinini E, Kalkkinen N, Saarma M, Runeberg-Roos P. (2013) Glial cell line-derived neurotrophic factor: characterization of mammalian posttranslational modifications. *Ann Med.* 45(1):66-73.

260. Characterization of the structural and functional determinants of MANF/CDNF in *Drosophila* in vivo model. Lindström R, Lindholm P, Kallijärvi J, Yu LY, Piepponen TP, Arumäe U, Saarma M, Heino TI. (2013) *PLoS One.* (2013) 8(9):e73928. doi: 10.1371/journal.pone.0073928.

261. Saarma M, Castrén E. (2013) Lahkus närvikasvufaktori avastaja Rita Levi-Montalcini. *Sirp* 2 (3424).

262. Castrén E, Saarma M. (2013) Rita levi-Montalcini 1909-2012. Hermostotutkimus toi Nobelin palkinnon. *Helsingin Sanomat.* Lauantaina 26. Tammikuuta.

2014

263. Ihermann A, Lume M, Miinalainen IJ, Pirttiniemi, A, Gui, Y, Peränen, J, Charron, J, Saarma, M, Costantini F & Kuure S. (2014) Mitogen-activated protein kinase (MAPK) pathway regulates branching by remodeling epithelial cell adhesion. *PLoS Genetics*, 10(3):e1004193. doi: 10.1371/journal.pgen.1004193.

264. Lindahl M, Danilova T, Palm E, Pulkkila P, Voikar V, Hakonen E, Ustinov J, Andressoo J-O, Harvery B, Otonkoski T, Rossi J and Saarma M. (2014). MANF is indispensable for the proliferation and survival of pancreatic β -cells. *Cell Reports*, 7(2):366-75. doi: 10.1016/j.celrep.2014.03.023. Epub 2014 Apr 13.

265. Varendi K, Airavaara A, Anttila J, Vose S, Planken A, Saarma M, Mitchell JR, Andressoo J-O. (2014) Short-term Preoperative Dietary Restriction Is Neuroprotective in a Rat Focal Stroke Model. *PLoS One.* 9(4):e93911. doi: 10.1371/journal.pone.0093911.

2015

266. Kempainen S, Lindholm P, Galli E, Lahtinen H-M, Koivisto H, Hämäläinen E, Saarma M & Tanila H (2015) Cerebral dopamine neurotrophic factor improves long-term memory in APP/PS1 transgenic

mice modeling Alzheimer's disease as well as in wild-type mice. *Behavioural Brain Research*, May 11;291:1-11. doi: 10.1016/j.bbr.2015.05.002.

267. Kopra, J, Vilenius, C, Grealish, S, Harma, M-A, Varendi, K, Lindholm, J, Castren, E, Voikar, V, Bjorklund, A, Piepponen, T. P, Saarma, M*, Andressoo, J-O*. (2015) GDNF is not required for catecholaminergic neuron survival in vivo. *Nature Neuroscience* 18 (3): 319-322. * Equal contribution.

268. Mizui T, Ishikawa Y, Kumanogoh H, Lume M, Matsumoto T, Hara T, Yamawaki S, Takahashi M, Shiosaka S, Itami C, Uegaki K, Saarma M and Kojima M. (2015) BDNF pro-peptide actions facilitate hippocampal LTD and are altered by the common BDNF. *Proc Natl Acad Sci USA* 112(23):E3067-74.

269. Mätlik K, Yu LY, Eesmaa A, Hellman M, Lindholm P, Peränen J, Galli E, Anttila J, Saarma M, Permi P, Airavaara M, Arumäe U. (2015) Role of two sequence motifs of mesencephalic astrocyte-derived neurotrophic factor in its survival-promoting activity. *Cell Death Dis.* 2015 Dec 31;6:e2032. doi: 10.1038/cddis.2015.371.

270. Mutso M, Nikonov A, Pihlak A, Žusinaite E, Viru L, Selyutina A, Reintamm T, Kelve M, Saarma M, Karelson M, Merits A (2015) RNA Interference-Guided Targeting of Hepatitis C Virus Replication with Antisense Locked Nucleic Acid-Based Oligonucleotides Containing 8-oxo-dG Modifications. *PLoS One.* 2015 Jun 3;10(6):e0128686. doi: 10.1371/journal.pone.0128686. eCollection 2015.

271. Nadella R, Voutilainen MH, Saarma M, Gonzalez-Barrios JA, Leon-Chavez BA, Jiménez JM, Jiménez SH, Escobedo L, Martinez-Fong D. (2014) Transient transfection of human CDNF gene reduces the 6-hydroxydopamine-induced neuroinflammation in the rat substantia nigra. *J Neuroinflammation.* 11(1):209. doi: 10.1186/s12974-014-0209-0.

272. Weinheimer, I, Jiu, Y, Rajamaki, M-L, Matilainen, O, Kallijarvi, J, Cuellar, W J; Lu, R, Saarma, M, Holmberg, C I, Jantti, J, Valkonen, J P T (2015) Suppression of RNAi by dsRNA-Degrading RNaseIII Enzymes of Viruses in Animals and Plants. *PLoS Pathogens.* 11 (3); e1004711 DOI:10.1371/journal.ppat.1004711

273. Domanskyi A, Saarma M, Airavaara M. (2015) Prospects of Neurotrophic Factors for Parkinson's Disease: Comparison of Protein and Gene Therapy. *Hum Gene Ther.* 26(8):550-9. doi: 10.1089/hum.2015.065.

274. Voutilainen MH, Arumäe U, Airavaara M, Saarma M. (2015) Therapeutic potential of the endoplasmic reticulum located and secreted CDNF/MANF family of neurotrophic factors in Parkinson's disease. *FEBS Lett.* 589 (2015) 3739–3748.

2016

275. Galli E, Härkönen T, Sainio MT, Ustav M, Toots U, Urtti A, Yliperttula M, Lindahl M, Knip M, Saarma M*, Lindholm P*. (2016) Increased circulating concentrations of mesencephalic astrocyte-derived neurotrophic factor in children with type 1 diabetes. *Science Rep.* 30;6:29058. doi: 10.1038/srep29058. * Equal contribution.

276. Garea-Rodríguez E, Eesmaa A, Lindholm P, Schlumbohm C, König J, Meller B, Krieglstein K, Helms G, Saarma M, Fuchs E. (2016) Comparative Analysis of the Effects of Neurotrophic Factors CDNF and GDNF in a Nonhuman Primate Model of Parkinson's Disease. *PLoS One.* 2016 Feb 22;11(2):e0149776. doi: 10.1371/journal.pone.0149776. eCollection 2016. PMID: 26901822

277. Kumar A, Kopra J, Varendi K, Porokuokka LL, Panhelainen A, Kuure S, Marshall P, Karalija N, Härma MA, Vilenius C, Lilleväli K, Tekko T, Mijatovic J, Pulkkinen N, Jakobson M, Jakobson M, Ola R, Palm E, Lindahl M, Strömberg I, Vöikar V, Piepponen TP, Saarma M*, Andressoo JO*. (2016) GDNF

Overexpression from the Native Locus Reveals its Role in the Nigrostriatal Dopaminergic System Function. *PLoS Genet.* 2016 Jan 11;12(1):e1005808. doi: 10.1371/journal.pgen.1005808. eCollection 2016 Jan. PMID:26752407. * Equal contribution

278. Lindholm D, Mäkelä J, Di Liberto V, Mudò G, Belluardo N, Eriksson O, Saarma M. (2016) Current disease modifying approaches to treat Parkinson's disease. *Cell Mol Life Sci.* 73(7):1365-1379. doi: 10.1007/s00018-015-2101-1. Epub 2015 Nov 30. PMID: 26616211

279. Lindström R, Lindholm P, Kallijärvi J, Palgi M, Saarma M, Heino TI. (2016) Exploring the Conserved Role of MANF in the Unfolded Protein Response in *Drosophila melanogaster*. *PLoS One.* Mar 14;11(3):e0151550. doi: 10.1371/journal.pone.0151550. eCollection 2016. PMID: 26975047

280. Runeberg-Roos P, Piccinini E, Penttinen AM, Mätlik K, Heikkinen H, Kuure S, Beshpalov MM, Peränen J, Garea-Rodríguez E, Fuchs E, Airavaara M, Kalkkinen N, Penn R, Saarma M. (2016) Developing therapeutically more efficient Neurturin variants for treatment of Parkinson's disease. *Neurobiology of Disease.* 96:335-345. doi: 10.1016/j.nbd.2016.07.008.

281. Antila S, Karaman S, Nurmi H, Airavaara M, Voutilainen MH, Mathivet T, Chilov D, Li Z, Koppinen T, Park J-H, Fang S, Aspelund A, Saarma M, Eichmann A, Thomas J-L, and Alitalo K (2017) Development and plasticity of meningeal lymphatic vessels. *J. Exp. Med.* 214, (12) 3645–3667 <https://doi.org/10.1084/jem.20170391>

2017

282. Kopra J, Panhelainen A, af Bjerken S, Porokuokka L, Varendi K, Olfat S, Montonen H, Piepponen TP, Saarma M, and Andressoo J-O. (2017) Dampened amphetamine-stimulated behavior and altered dopamine transporter function in the absence of brain GDNF. *J Neuroscience*, 37(6):1581–1590. doi: 10.1523/JNEUROSCI.1673-16.2016.

283. Lindström R, Lindholm P, Palgi M, Saarma M, Heino TI. (2017) In vivo screening reveals interactions between *Drosophila* Manf and genes involved in the mitochondria and the ubiquinone synthesis pathway. *BMC Genet.* 2017 Jun 2;18(1):52. doi: 10.1186/s12863-017-0509-3.

284. Mätlik K, Vihinen H, Bienemann A, Palgi J, Voutilainen MH, Booms S, Lindahl M, Jokitalo E, Saarma M, Huttunen HJ, Airavaara M, Arumäe U. (2017) Intrastriatally infused exogenous CDNF is endocytosed and retrogradely transported to substantia nigra. *eNeuro*, 4(1). pii: ENEURO.0128-16.2017. doi: 10.1523/ENEURO.0128-16.2017.

285. Saarenpää T, Kogan K, Sidorova Y, Mahato AK, Tascón I, Kaljunen H, Yu L, Kallijärvi J, Jurvansuu J, Saarma M, Goldman A. (2017) Zebrafish GDNF and its co-receptor GFR α 1 activate the human RET receptor and promote the survival of dopaminergic neurons in vitro. *PLoS One.* 2017 May 3;12(5):e0176166. doi: 10.1371/journal.pone.0176166. eCollection 2017.

286. Saarma M, Castrén E and Runeberg-Roos P. (2017) Editorial. *Neurobiology of Disease* 97, 71–72. doi: 10.1016/j.nbd.2016.11.010.

287. Saarma M, Goldman A. (2017) Obesity: Receptors identified for a weight regulator. *Nature.* 550 (7675):195-197. doi: 10.1038/nature24143. Epub 2017 Sep 27

288. Sidorova YA, Beshpalov MM, Wong AW, Kambur O, Jokinen V, Lilius TO, Suleymanova I, Karelson G, Rauhala PV, Karelson M, Osborne PB, Keast JR, Kalso EA and Saarma M (2017) A Novel Small Molecule GDNF Receptor RET Agonist, BT13, Promotes Neurite Growth from Sensory Neurons In vitro and Attenuates Experimental Neuropathy in the Rat. *Front. Pharmacol.* published: 21 June 2017;8:365. doi: 10.3389/fphar.2017.00365. eCollection 2017

289. Tseng KY, Danilova T, Domanskyi A, Saarma M, Lindahl M, Airavaara M (2017). MANF Is Essential for Neurite Extension and Neuronal Migration in the Developing Cortex. *eNeuro*. 2017 Sep 29;4(5). pii: ENEURO.0214-17.2017. doi: 10.1523/ENEURO.0214-17.2017. eCollection 2017 Sep-Oct.

290. Voutilainen MH, De Lorenzo F, Stepanova P, Bäck S, Yu L-y, Lindholm P, Pörsti E, Saarma M, Männistö P, Tuominen RK. (2017) Evidence for an additive neurorestorative effect of simultaneously administered CDNF and GDNF in hemiparkinsonian rats: implications for different mechanism of action. *eNeuro*, Mar 13;4(1). pii: ENEURO.0117-16.2017. doi: 10.1523/ENEURO.0117-16.2017. eCollection 2017 Jan-Feb.

291. Airavaara M, Saarma M. (2017) Parkinsonin tautin hoidon haastet ja mahdollisuudet: Olemmeko läpimurron kynnyksellä? *Best Practice No18*, 6-9.

292. Lindahl M, Saarma, M and Lindholm P (2017) Unconventional neurotrophic factors CDNF and MANF: Structure, physiological functions and therapeutic potential. *Neurobiology of Disease* 97, 90–102.

2018

293. Hakonen E, Chandra V, Fogarty CI, Yiu-Lin Yu N, Ustinov J, Katayama S, Galli E, Danilova T, Lindholm P, Vartiainen A, Einarsdottir E, Krjutškov K, Kere J, Saarma K, Lindahl M & Otonkoski T. (2018) MANF protects human pancreatic beta cells against stress-induced cell death. *Diabetologia*, 61, 10, 2202-2214 <https://doi.org/10.1007/s00125-018-4687-y>.

294. Huotarinen A, Penttinen AM, Bäck S, Voutilainen MH, Julku U, Petteri Piepponen T, Männistö PT, Saarma M, Tuominen R, Laakso A, Airavaara M. (2018) Combination of CDNF and deep brain stimulation decreases neurological deficits in late-stage model Parkinson's disease. *Neuroscience*. 374, 250–263. doi: 10.1016/j.neuroscience.2018.01.052.

295. Ivanova L, Tammiku-Taul J, Sidorova Y, Saarma M and Karelson M (2018). Small-Molecule Ligands as Potential GDNF Family Receptor Agonists. *ACS Omega*, 2018, 3 (1), pp 1022-1030

296. Ivanova L, Tammiku-Taul J, García-Sosa AT, Sidorova Y, Saarma M, Karelson M (2018). Molecular Dynamics Simulations of the Interactions between Glial Cell Line-Derived Neurotrophic Factor Family Receptor GFR α 1 and Small-Molecule Ligands. *ACS Omega*. 2018 Sep 30;3(9):11407-11414. doi: 10.1021/acsomega.8b01524. Epub 2018 Sep 19.

297. Penttinen A-M, Parkkinen I, Voutilainen MH, Koskela M, Bäck S, Their A, Richie CT, Domanskyi A, Harvey B, Tuominen RK, Nevalaita L, Saarma M, Airavaara M. (2018) Pre-alpha-pro-GDNF and pre-beta-pro-GDNF isoforms are neuroprotective in the 6-hydroxydopamine rat model of Parkinson's disease, *Front. Neurol*. doi: 10.3389/fneur.2018.00457Manuscript ID: 371449

298. Penttinen, A-M, Parkkinen, I, Blom, S, Kopra, J, Andressoo, J-O, Pitkänen, K, Voutilainen, M, Saarma, M, Airavaara, M (2018) Implementation of Deep Neural Networks to Count Dopamine Neurons in Substantia Nigra. *Eur. J. Neurosci.*, 48, 6, 2354-2361.

299. Renko J-M, Bäck S, Voutilainen MH, Piepponen, PT, Reenilä I, Saarma M & Tuominen RK. (2018) Mesencephalic Astrocyte-Derived Neurotrophic Factor (MANF) Elevates Stimulus-Evoked Release of Dopamine in Freely-Moving Rats. *Molecular Neurobiology* 55, 8, 6755-6768. <https://doi.org/10.1007/s12035-018-0872-8>

300. Suleymanova, I, Balassa T, Tripathi S, Molnar C, Saarma M, Sidorova Y, and Horvath P. (2018) A deep convolutional neural network approach for astrocyte detection. *Scientific Reports*, Article Number: 12878 Published: AUG 27 2018. 2018 Aug 27;8(1):12878. doi: 10.1038/s41598-018-31284-x.

2019

301. Danilova T, Galli E, Pakarinen E, Palm E, Lindholm P, Saarma M, Lindahl M. Mesencephalic Astrocyte-Derived Neurotrophic Factor (MANF) Is Highly Expressed in Mouse Tissues With Metabolic Function. (2019) *Front Endocrinol (Lausanne)*. 2019 Nov 6;10:765. doi: 10.3389/fendo.2019.00765.

302. Galli, E., Lindholm, P., Kontturi, L-S., Saarma, M., Urtti, A. & Yliperttula, M.,(2019) Characterization of CDNF-Secreting ARPE-19 Cell Clones for Encapsulated Cell Therapy Cell Transplantation. 1-12, DOI: 10.1177/0963689719827943

303. Galli E, Planken A, Kadastik-Eerme L, Saarma M, Taba P, Lindholm P. (2019) Increased Serum Levels of Mesencephalic Astrocyte-Derived Neurotrophic Factor in Subjects With Parkinson's Disease. *Front Neurosci*. 2019 Sep 4;13:929. doi: 10.3389/fnins.2019.00929. eCollection 2019.

304. Huttunen HJ and Saarma M (2019) CDNF Protein Therapy in Parkinson's Disease. *Cell Transplantation*. 28(4):349-366 DOI: 10.1177/0963689719840290

305. Porokuokka LL, Virtanen HT, Lindén J, Sidorova Y, Danilova T, Lindahl M, Saarma M*, Andressoo J-O* (2019), Gfra1 under-expression causes Hirschsprung's disease and associated enterocolitis in mice, *Cellular and Molecular Gastroenterology and Hepatology* (2019), doi: <https://doi.org/10.1016/j.jcmgh.2018.12.007>. * Equal contribution

306. Virachit S, Mathews KJ, Cottam V, Werry E, Galli E, Rappou E, Lindholm P, Saarma M, Halliday GM, Shannon Weickert C, Double KL. (2019) Levels of glial cell line-derived neurotrophic factor are decreased, but fibroblast growth factor 2 and cerebral dopamine neurotrophic factor are increased in the hippocampus in Parkinson's disease. *Brain Pathol*. Apr 29. doi: 10.1111/bpa.12730.

2020

307. Barker RA, Bjorklund A, Gash DM, Whone A, Van Laar A, Kordower JH, Bankiewicz K, Kiebertz K, Saarma M, Booms S, Huttunen HJ, Kells A, Fiandaca MS, Stoessl AJ, Eidelberg D, Federoff H, Voutilainen M, Dexter DT, Eberling J, Brundin P, Isaacs L, Mursaleen L, Bresolin E, Carroll C, Coles A, Fiske B, Matthews H, Lungu C, Wyse RK, Stott S, Lang AE (2020) GDNF and Parkinson's Disease: Where Next? A Summary from a Recent Workshop. *J Parkinsons Dis*. 2020 Jun 3. doi: 10.3233/JPD-202004. Online ahead of print. 10.1016/j.jisci.2020.100871. Epub 2020 Jan 31. PMID:32062451

308. Chalazonitis A, Li Z, Pham TD, Chen J, Rao M, Lindholm P, Saarma M, Lindahl M, Gershon MD (2020) Cerebral dopamine neurotrophic factor is essential for enteric neuronal development, maintenance, and regulation of gastrointestinal transit. *J Comp Neurol*. Mar 10. doi: 10.1002/cne.24901. [Epub ahead of print]

309. Chmielarz, P, Saarma M. (2020) Neurotrophic factors for disease-modifying treatments of Parkinson's disease: gaps between basic science and clinical studies. *Pharm. Reports*. DOI: 10.1007/s43440-020-00120-3

310. Herranen A, Ikäheimo K, Lankinen T, Pakarinen E, Fritzsich B, Saarma M, Lindahl M, Pirvola U. (2020) Deficiency of the ER-stress-regulator MANF triggers progressive outer hair cell death and hearing loss. *Cell Death Dis*. Feb 6;11(2):100. doi: 10.1038/s41419-020-2286-6.

311. Jmaeff S, Sidorova Y, Nedev H, Saarma M, Saragovi HU. (2020) Small-molecule agonists of the RET receptor tyrosine kinase activate biased trophic signals that are influenced by the presence of GFRa1 co-receptors. *J Biol Chem*. Apr 3. pii: jbc.RA119.011802. doi: 10.1074/jbc.RA119.011802. [

312. Jmaeff S, Sidorova Y, Lippiatt H, Barcelona PF, Nedev H, Saragovi LM, Hancock MA, Saarma M, Saragovi HU (2020) Small-molecule ligands that bind the RET receptor activate neuroprotective

signals independent of but modulated by co-receptor GFR α 1. *Molecular Pharmacology Fast Forward*. Published on May 3, 2020 as DOI: 10.1124/mol.119.118950

313. Lindahl M, Chalazonitis A. et al. Saarma M. (2020) Cerebral dopamine neurotrophic factor-deficiency leads to degeneration of enteric neurons and altered brain dopamine neuronal function in mice. *Neurobiol Dis*. Feb; 134:104696. doi: 10.1016/j.nbd.2019.104696. Epub 2019 Nov 26.

PMID: 31783118

314. Mahato AK, Kopra J, Renko JM, Visnapuu T, Korhonen I, Pulkkinen N, Bespalov MM, Domanskyi A, Ronken E, Piepponen TP, Voutilainen MH, Tuominen RK, Karelson M, Sidorova YA, Saarma M. (2020) Glial cell line-derived neurotrophic factor receptor Rearranged during transfection agonist supports dopamine neurons in Vitro and enhances dopamine release In Vivo. *Mov Disord*.;35(2):245-255. doi: 10.1002/mds.27943. Epub 2019 Dec 16. PMID:31840869

315. Pakarinen E, Danilova T, Vöikar V, Chmielarz P, Piepponen P, Airavaara M, Saarma M*, Lindahl M*. (2020) MANF Ablation Causes Prolonged Activation of the UPR without Neurodegeneration in the Mouse Midbrain Dopamine System. *eNeuro*. Feb 19;7(1). pii: ENEURO.0477-19.2019. doi: 10.1523/ENEURO.0477-19.2019. Print 2020 Jan/Feb. PMID:3200575*Equal contribution.

316. Sidorova YA, Saarma M. Small Molecules and Peptides Targeting Glial Cell Line-Derived Neurotrophic Factor Receptors for the Treatment of Neurodegeneration. *Int J Mol Sci*. 2020 Sep 8;21(18):E6575. doi: 10.3390/ijms21186575.

317. Yadav L, Pietilä E, Öhman T, Liu X, Mahato AK, Sidorova Y, Lehti K, Saarma M, Varjosalo M (2020) PTPRA Phosphatase Regulates GDNF-Dependent RET Signaling and Inhibits the RET Mutant MEN2A Oncogenic Potential. *iScience*. Feb 21;23(2):100871. doi:

318. Yagi T, Asada R, Kanekura K, Eesmaa A, Lindahl M, Saarma M and Urano F (2020) Neuroplastin modulates anti-inflammatory effects of MANF, *iScience*, 23(12):101810. doi: 10.1016/j.isci.2020.101810. eCollection 2020 Dec 18..

319. Jasmin M, Ahn EH, Voutilainen MH, Fombonne J, Guix C, Viljakainen T, Su Kang S, Yu L-Y, Saarma M*, Mehlen P* and Ye K* (2020) The pair netrin-1/DCC regulates dopamine neuronal cell survival, death and impacts on Parkinson's disease. *EMBO Journal*, e105537. doi: 10.15252/emboj.2020105537.*Shared senior authors

320. Sidorova Y A and Saarma M (2020) Can Growth Factors Cure Parkinson's Disease? *Trends in Pharmacological Sciences*, 41 (12):909-922. doi: 10.1016/j.tips.2020.09.010.

321. Saarma M, Mobley W, Leßmann V. Editorial for the special issue neurotrophic factors. *Cell Tissue Res*. 2020 Oct;382(1):1-4. doi: 10.1007/s00441-020-03291-w.PMID: 32974736

2021

322. Albert K, Raymundo DP, Panhelainen A, Eesmaa A, Shvachiy L, Araújo GR, Chmielarz P, Yan X, Singh A, Cordeiro Y, Palhano FL, Foguel D, Luk KC, Domanskyi A, Voutilainen MH, Huttunen HJ, Outeiro TF, Saarma M, Almeida MS, Airavaara M (2021) Cerebral Dopamine Neurotrophic Factor Reduces α -Synuclein Aggregation and Propagation and Alleviates Behavioral Alterations in vivo. *Mol Therapy*, 2021 Apr 30:S1525-0016(21)00249-5. doi: 10.1016/j.yymthe.2021.04.035.

323. Bondarenko O and Saarma M (2021) Neurotrophic Factors in Parkinson's Disease: Clinical Trials, Open Challenges and Nanoparticle-Mediated Delivery to the Brain. *Front. Cell. Neurosci*. 15:682597. doi: 10.3389/fncel.2021.682597

324. Casarotto PC, Girych M, Fred SM, Kovaleva V, Moliner R, Enkavi G, Biojone C, Cannarozzo C, Sahu MP, Kaurinkoski K, Brunello CA, Steinzeig A, Winkel F, Patil S, Vestring S, Serchov T, Diniz CRAF, Laukkanen L, Cardon I, Antila H, Rog T, Piepponen TP, Bramham CR, Normann C, Lauri SE, Saarma M, Vattulainen I, Castrén E (2021) Antidepressant drugs act by directly binding to TRKB neurotrophin receptors. *Cell*. 2021 Feb 18;S0092-8674(21)00077-5. doi: 10.1016/j.cell.2021.01.034. Online ahead of print.PMID: 33606976
325. Eesmaa A, Yu L-Y, Göös H, Nöges K, Kovaleva V, Hellman M, Zimmermann R, Jung M, Permi P, Varjosalo M, Lindholm P, Saarma M. (2021) The cytoprotective protein MANF promotes neuronal survival independently from its role as a GRP78 cofactor. *J. Biol. Chem*, Jan 15;100295. doi: 10.1016/j.jbc.2021.100295.
326. Ikaheimo K, Herranen A, Iivanainen V, Lankinen T1, Aarnisalo AA, Sivonen V, Patel KA, Demir K, Saarma M, Lindahl M, Pirvola U (2021). MANF supports the inner hair cell synapse and the outer hair cell stereocilia bundle in the cochlea. *Life Science Alliance*, Published Online: 23 November, 2021 | Supp Info: <http://doi.org/10.26508/lsa.202101068>
327. Jaumotte JD, Saarma M, Zigmond MJ (2021) Protection of dopamine neurons by CDNF and neurturin variant N4 against MPP+ in dissociated cultures from rat mesencephalon. *PLoS One*. 2021 Feb 3;16(2):e0245663. doi: 10.1371/journal.pone.0245663. eCollection 2021.PMID: 33534843.
328. Kovaleva V, Saarma M. (2021) Endoplasmic Reticulum Stress Regulators: New Drug Targets for Parkinson's Disease. *J Parkinsons Dis*. 2021 Jun 19. doi: 10.3233/JPD-212673. Online ahead of print.PMID: 34180421.
329. Renko J-M, Voutilainen MH, Tanel Visnapuu T, Sidorova YA*, Saarma M*, Tuominen RK*(2021) GDNF Receptor Agonist Alleviates Motor Imbalance in Unilateral 6- Hydroxydopamine Model of Parkinson's Disease. *Frontiers in Neurology and Neuroscience Research*, Volume 1 Article ID: 100004, 1-11.* Shared senior authors
330. Renko JM, Mahato AK, Visnapuu T, Valkonen K, Karelson M, Voutilainen MH, Saarma M, Tuominen RK, Sidorova YA. (2021) Neuroprotective Potential of a Small Molecule RET Agonist in Cultured Dopamine Neurons and Hemiparkinsonian Rats. *J Parkinsons Dis*. 2021 May 16. doi: 10.3233/JPD-202400. Online ahead of print.PMID: 34024778
331. Selberg S, Yu LY, Bondarenko O, Kankuri E, Seli N, Kovaleva V, Herodes K, Saarma M, Karelson M. (2021) Small-Molecule Inhibitors of the RNA M6A Demethylases FTO Potently Support the Survival of Dopamine Neurons. *Int J Mol Sci*. 2021 Apr 26;22(9):4537. doi: 10.3390/ijms22094537.PMID: 33926120

2022

332. Caglayan AB, Beker MC, Sertel Evren E, Caglayan B, Kilic Ü, Ates N, Caglayan A, Dasdelen MF, Doeppner TR, Saarma M, Hermann DM, Kilic E. (2022) The Unconventional Growth Factors Cerebral Dopamine Neurotrophic Factor and Mesencephalic Astrocyte-Derived Neurotrophic Factor Promote Post-ischemic Neurological Recovery, Perilesional Brain Remodeling, and Lesion-Remote Axonal Plasticity. *Transl Stroke Res*. May 18. doi: 10.1007/s12975-022-01035-2.
333. Chow CFW, Guo X, Asthana P, Zhang S, Wong SKK, Fallah S, Che S, Gurung S, Wang Z, Lee KB, Ge X, Yuan S, Xu H, Ip JPK, Jiang Z, Zhai L, Wu J, Zhang Y, Mahato AK, Saarma M, Lin CY, Kwan HY, Huang T, Lyu A, Zhou Z, Bian ZX, Wong HLX. (2022) Body weight regulation via MT1-MMP-mediated cleavage of GFRAL. *Nature Metab*. 2022 Feb 17. doi: 10.1038/s42255-022-00529-5. Online ahead of print.PMID: 35177851

334. Eesmaa A, Yu LY, Göös H, Danilova T, Nöges K, Pakarinen E, Varjosalo M, Lindahl M, Lindholm P, Saarma M (2022) CDNF Interacts with ER Chaperones and Requires UPR Sensors to Promote Neuronal Survival. *Int J Mol Sci.* 2022 Aug 22;23(16):9489. doi: 10.3390/ijms23169489.PMID: 36012764
335. Ikaheimo K, Herranen A, Iivanainen V, Lankinen T, Aarnisalo AA, Sivonen V, Patel KA, Demir A, Saarma M, Lindahl M, Pirvola U. (2022) MANF supports the inner hair cell synapse and the outer hair cell stereocilia bundle in the cochlea. *Life-science-alliance.org* on 4 February, 2022; Published Online: 23 November, 2021 | Supp Info: <http://doi.org/10.26508/lsa.202101068>
336. Lindholm P & Saarma M. (2022) Cerebral dopamine neurotrophic factor protects and repairs dopamine neurons by novel mechanism. *Mol Psychiatry.* 27(3):1310-1321. doi: 10.1038/s41380-021-01394-6. Epub 2021 Dec 14.PMID: 34907395
337. Pakarinen E, Lindholm P, Saarma M and Lindahl M. (2022) CDNF and MANF regulate ER stress in a tissue-specific manner. *Cellular and Molecular Life Science,* 79:124
<https://doi.org/10.1007/s00018-022-04157-w>
338. Saarma M (2022) To celebrate the 80th birthday of Klaus Unsicker: discovery of a new growth factor and studies on the effects of growth factors on adrenal chromaffin cells and neurons. *Cell and Tissue Research.* <https://doi.org/10.1007/s00441-021-03571-z>. EDITORIAL

2023

339. Kovaleva V, Yu L-Y, Ivanova L, Shpironok O, Nam J, Eesmaa A, Kumpula E-P, Sakson S, Toots U, Ustav M, Huisken JT, Voutilainen MH, Lindholm P, Karelson M, Saarma M. (2023) MANF regulates neuronal survival and UPR through its ER-located receptor IRE1 α . *Cell Reports,* 2023 Feb 3;42(2):112066. doi: 10.1016/j.celrep.2023.112066.
340. Moliner R, Girych M, Brunello CA, Kovaleva V, Biojone C, Enkavi G, Antenucci L, Kot EF, Goncharuk SA, Kaurinkoski K, Kuutti M, Fred SF, Elsilä LV, Sakson S, Cannarozzo C, Diniz CRAF, Seiffert N, Rubiolo A, Haapaniemi H, Meshi E, Nagaeva E, Öhman T, Rog T, Kankuri E, Vilar M, Varjosalo M, Korpi ER, Permi P, Mineev KS, Saarma M, Vattulainen I, Casarotto PC & Castrén E. (2023) Psychedelics promote plasticity by directly binding to BDNF receptor TrkB. *Nature Neurosci.* 26(6), 1032-1041. DOI10.1038/s41593-023-01316-5
342. Tseng K-Y, Stratoulis V, Hu W-F, Wu J-S, Wang V, Chen Y-H, Seelbach A, Huttunen H, Kuleshkaya N, Pang C-Y, Chou J-L, Lindahl M, Saarma M, Huang L-C, Airavaara M, and Liew H-K. (2023) Augmenting hematoma-scavenging capacity of innate immune cells by CDNF reduces brain injury and promotes functional recovery after intracerebral hemorrhage. *Cell Death Dis,* 14 (2), pp.128.
343. De Lorenzo F, Lüningschrör P, Nam J, Beckett L, Pilotto F, Galli E, Lindholm P, Rüdert von Collenberg C, Tii Mungwa S, Jablonka S, Kauder J, Thau-Habermann N, Petri S, Lindholm D, Saxena S, Sendtner M, Saarma M*, Voutilainen MH* (2023). CDNF rescues motor neurons in models of amyotrophic lateral sclerosis by targeting endoplasmic reticulum stress. *Brain.* Sep 1;146(9):3783-3799. doi: 10.1093/brain/awad087. *Equal contribution
345. Huttunen HJ, Booms S, Sjögren M, Kerstens V, Johansson J, Holmnäs R, Koskinen J, Kuleshkaya N, Fazio P, Woolley M, Brady A, Williams J, Johnson D, Dailami N, Gray W, Levo R, Saarma M, Halldin C, Marjamaa J, Resendiz-Nieves J, Grubor I, Lind G, Eerola-Rautio J, Mertsalmi T, Andréasson M, Paul G, Rinne J, Kivisaari R, Bjartmarz H, Almqvist P, Varrone A, Scheperjans F, Widner H, Svenningsson P. Intraputamenal Cerebral Dopamine Neurotrophic Factor in Parkinson's Disease: A Randomized, Double-Blind, Multicenter Phase 1 Trial. *Mov Disord.* 2023 Jul;38(7):1209-1222. doi: 10.1002/mds.29426. Epub 2023 May 22. PMID: 37212361.

346. Yu Y, Selberg S, Teino I, Nam J, Ivanova L, Renzi B, Seli N, Kankuri E, Voutilainen MH, Karelson M & Saarma M. (2023) Small molecule activation of m6A mRNA methylation as a novel approach for neuroprotection. bioRxiv preprint doi: <https://doi.org/10.1101/2023.07.05.547860>; this version posted July 7, 2023. T

347. Li Ying Yu*, Tuulikki Viljakainen*, Liam Beckett*, Jinhan Nam, Anu Hyysalo, Patrick Lüningschrör, Katrina Albert, Tapani Koppinen, Maarit Hellman, Michael Sendtner, Perttu Permi, Päivi Lindholm, Mart Saarma# and Merja H. Voutilainen#. C-terminal fragment of CDNF passes the blood brain barrier protecting and restoring dopamine and motoneurons in animal models of Parkinson's disease and amyotrophic lateral sclerosis. * # shared first and last authorships. bioRxiv preprint in preparation

2024

348. Kanarik M, Liiver K, Školnaja M, Teino I, Org T, Laugus K, Shimmo R, Karelson M, Saarma M, Harro H (2024) Effect of RNA m6A methyltransferase activation by a low molecular weight compound on anxiety- and depression-related behaviours, monoamine neurochemistry and striatal gene expression in the rat. Preprint 10.1101/2024.01.08.574593 has posted on bioRxiv: <https://biorxiv.org/cgi/content/short/2024.01.08.574593v1>

349. Hoi Leong Xavier Wong, Xuanming Guo, Ka Wing Cheng, Susma Gurung, Jiangang Huang, Pallavi Asthana, Jiayan Wu, Yijing Zhang, Arun Mahato, Mart Saarma, Mart Ustav, Lixiang Zhai, Hiu Yee Kwan, Aiping Lyu, Kui ming Chan, Ping-yi Xu, and Zhao-xiang Bian (2024) Artesunate treats obesity in male mice and non-human primates through GDF15/GFRAL signaling axis. Nature Communications, 15, 1, Page 1034; DOI 10.1038/s41467-024-45452-3

350. Lohelaid H, Saarma M, Airavaara M. (2024) CDNF and ER stress: pharmacology and therapeutic possibilities. Pharmacology & Therapeutics, Volume 254, Page 108594; DOI 10.1016/j.pharmthera.2024.108594